

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
126 Blythe	<15 cases. See note.	14,649	Rural	Pov100 Pov200	18.7 46.3	White	71.1	50.9	No	.	
												Black	9.2				
												Am. Ind.	1.7				
												Other/Multi	21.3				
												Asian/PI	2.1				
127 Chiriaco Summit/Desert Center/Eagle Mountain	<15 cases. See note.	10,259	Frontier	Pov100 Pov200	22.7 48.7	White	56.2	51.6	Yes	0	
												Black	23.4				
												Am. Ind.	3				
												Other/Multi	23.6				
												Asian/PI	3.1				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).
 ** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).
 *** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Populaton:1 Physician).
 Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.
 Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
128 Arabia/Coachella/Desert Beach/Flowing Wells/Indio South/La Quinta East/Mecca/Oasis/ Thermal**	67	21	14	6.8	7.2	205.9	142.5-297.5	97,097	Urban	Pov100 26.4 Pov200 57.4	White	68.4	83.1	Yes	4,195	
											Black	1.7				
											Am. Ind.	0.8				
											Other/Multi	31				
											Asian/PI	1				
129.1 Bermuda Dunes South/Indian Wells/La Quinta West/Palm Desert/Rancho Mirage Central and South	29	17	5	8.1	-3.1	61.7	27.3-139.4	99,010	Urban	Pov100 9.8 Pov200 24.2	White	84.5	25.6	No	.	
											Black	2.9				
											Am. Ind.	1.2				
											Other/Multi	11.9				
											Asian/PI	3.5				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
129.2 Bermuda Dunes North/Indio North	<15 cases. See note.	50,387	Urban	Pov100 Pov200	14.9 37	White	70.3	54	No	.	
												Black	2.1				
												Am. Ind.	1.4				
												Other/Multi	29.7				
												Asian/PI	2.9				
129.3 Agua Caliente/Palm Springs Central	<15 cases. See note.	30,412	Urban	Pov100 Pov200	13.5 35.2	White	87.4	23.5	Yes	30,412	
												Black	2.6				
												Am. Ind.	1.3				
												Other/Multi	7.8				
												Asian/PI	5.8				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
129.4 Cathedral City Southeast/Palm Desert North/Palm Springs South/Rancho Mirage North**	58	33	19	13.6	5.4	139.7	102.2-191	127,925	Urban	Pov100 15.7 Pov200 41.8	White	76.9	44.3	Yes	1,673		
																Black	4.7
																Am. Ind.	2
																Other/Multi	17.6
																Asian/PI	3.9
130 Idyllwild/Pine Cove	<15 cases. See note.	12,133	Rural	Pov100 12 Pov200 37.8	White	88.9	22.3	Yes	0		
																Black	1.2
																Am. Ind.	2.8
																Other/Multi	8.4
																Asian/PI	1.9

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
131a Lake Elsinore/Murrieta West/Sedco Hills/Wildomar**	61	23	14	9.2	4.8	152.2	103.5-223.8	134,692	Urban	Pov100 10.2 Pov200 26.1	White	71.3	37.2	Yes	2,743		
											Black	5.8					
											Am. Ind.	1.7					
											Other/Multi	22.3					
											Asian/PI	8.5					
131b French Valley/Murrieta East/Temecula/ Winchester	50	20	10	8.2	1.8	122	73.8-201.5	134,948	Urban	Pov100 6.8 Pov200 19.3	White	71.6	25.5	No	.		
											Black	7					
											Am. Ind.	2.1					
											Other/Multi	16.2					
											Asian/PI	13.9					

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Riverside County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
131c Temecula South	<15 cases. See note.	74,746	Urban	Pov100 Pov200	7.1 18.4	White	76.6	21.9	No	.	
												Black	4.3				
												Am. Ind.	3.2				
												Other/Multi	15.5				
												Asian/PI	13.7				
132 East Hemet/Hemet/Valle Vista	50	30	15	12.6	2.4	119	76-186.5	139,924	Urban	Pov100 Pov200	17.3 44.7	White	72.7	39.7	Yes	2,613	
												Black	5				
												Am. Ind.	3.5				
												Other/Multi	23.8				
												Asian/PI	4.2				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).
 ** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).
 *** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).
 Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.
 Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics							
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)	Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
133.1 Canyon Lake/Perris/Quail Valley/Romoland/Sun City/Winchester	47	34	16	13.2	2.8	121.2	77.6-189.4	161,635	Urban	Pov100 14.5 Pov200 37	White	64.8	47.8	Yes	3,656
											Black	8.6			
											Am. Ind.	1.4			
											Other/Multi	25.9			
											Asian/PI	5.3			
133.2 Homeland/Lakeview/San Jacinto	<15 cases. See note.	24,064	Urban	Pov100 11.9 Pov200 34.3	White	70.8	40.7	Yes	23,855
											Black	4.9			
											Am. Ind.	2.8			
											Other/Multi	24.3			
											Asian/PI	4			

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
133.3 Glen Valley/Mead Valley	<15 cases. See note.	23,011	Rural	Pov100 Pov200	26.1 51.5	White	52.5	61.5	Yes	0	
												Black	8.3				
												Am. Ind.	1.4				
												Other/Multi	40.1				
												Asian/PI	2.9				
134 Banning/Beaumont/ Cabizon/Calimesa/ Cherry Valley**	64	28	18	11.2	6.8	160.7	124.2-207.9	133,587	Urban	Pov100 Pov200	12.5 33.1	White	65.4	38.3	Yes	3,984	
												Black	11.8				
												Am. Ind.	2.3				
												Other/Multi	20.1				
												Asian/PI	8.5				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
135a Eastside/Fairmont Park/Riverside Downtown/Rubidoux/ University**	69	26	18	8.4	9.6	214.3	155.3-295.8	104,011	Urban	Pov100 Pov200	21.7 50.5	White	57.2	62.1	Yes	2,942
												Black	8.6			
												Am. Ind.	2.3			
												Other/Multi	31.9			
												Asian/PI	7.8			
135b Edgemont/Orange Crest/Woodcrest**	65	26	17	11.1	5.9	153.2	114.3-205.2	159,547	Urban	Pov100 Pov200	14.3 34.1	White	64.1	42.6	Yes	2,527
												Black	11.1			
												Am. Ind.	1			
												Other/Multi	22.9			
												Asian/PI	8.5			

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
135c Casablanca/Riverside Central	<15 cases. See note.	86,106	Urban	Pov100 Pov200	16.3 45.2	White	69.6	52.1	No	.	
												Black	6.1				
												Am. Ind.	1.7				
												Other/Multi	28.7				
												Asian/PI	5.5				
135d Arlington/Corona East/Home Gardens/La Sierra/Riverside Southwest	48	25	12	10.1	1.9	118.8	79.3-178	116,948	Urban	Pov100 Pov200	13.9 40.6	White	58.7	63	Yes	3,823	
												Black	5.7				
												Am. Ind.	1.8				
												Other/Multi	36.1				
												Asian/PI	7				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
135e Corona North/Glen Avon/Jurupa/Norco**	55	42	23	14.3	8.7	160.8	112.6-229.8	166,586	Urban	Pov100 8.3 Pov200 22.8	White	61	45.3	Yes	10,802		
											Black	8.3					
											Am. Ind.	2.2					
											Other/Multi	24.8					
											Asian/PI	12.2					
135f Corona South/El Cerrito/Temescal	<15 cases. See note.	119,529	Urban	Pov100 5.4 Pov200 18.1	White	71.3	36.2	No	.		
											Black	6.3					
											Am. Ind.	1.6					
											Other/Multi	18.3					
											Asian/PI	11.3					
135g Moreno Valley**	57	21	12	7.6	4.4	157.9	107.1-232.7	88,258	Urban	Pov100 14.5 Pov200 37.9	White	50.5	48	No	.		
											Black	18.6					
											Am. Ind.	1.2					
											Other/Multi	28.4					
											Asian/PI	8.6					

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).