

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
136 Clay/Galt/Herald/Wilton	<15 cases. See note.	.	.	.	.	.	.	35,927	Rural	Pov100 Pov200	11.1 27.7	White	71.8	34.5	Yes	27,281	
												Black	2				
												Am. Ind.	2.8				
												Other/Multi	24.2				
												Asian/PI	5.6				
137 Clarksburg/Hood/ Isleton/Locke/Walnut Grove	<15 cases. See note.	.	.	.	.	.	.	5,216	Rural	Pov100 Pov200	8.9 34.4	White	74.7	35.1	Yes	5,216	
												Black	1				
												Am. Ind.	1.4				
												Other/Multi	24.4				
												Asian/PI	11.7				
138 Rancho Murieta/Sloughhouse	<15 cases. See note.	.	.	.	.	.	.	18,980	Rural	Pov100 Pov200	3 9.5	White	71.3	6.6	Yes	0	
												Black	6.2				
												Am. Ind.	3.1				
												Other/Multi	6.4				
												Asian/PI	22.1				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics							
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)	Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
139a Elverta/Natomas/North Highlands/Rio Linda**	68	34	23	12.4	10.6	185.5	138.9-247.6	179,031	Urban	Pov100 9.4 Pov200 28.2	White	61	20.7	Yes	44,590
											Black	14.4			
											Am. Ind.	2.1			
											Other/Multi	16.7			
											Asian/PI	18.5			
139b Carmichael/Fair Oaks/Gold River	57	21	12	8.6	3.4	139.5	91.9-211.8	91,417	Urban	Pov100 8.7 Pov200 22.6	White	86.8	10.3	No	.
											Black	4.9			
											Am. Ind.	2			
											Other/Multi	7.9			
											Asian/PI	7			
139c Antelope/Citrus Heights/Foothill Farms	54	35	19	13.9	5.1	136.7	96.5-193.6	120,218	Urban	Pov100 15.2 Pov200 34.1	White	81.8	16.7	Yes	6,647
											Black	7.6			
											Am. Ind.	1.7			
											Other/Multi	11.2			
											Asian/PI	5.3			

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
139d Arcade/Arden/Town and Country Village	44	16	7	6.6	0.4	106.1	63-178.5	75,235	Urban	Pov100 11.3 Pov200 26.6	White	82.4	12	No	.	
											Black	8.7				
											Am. Ind.	2.3				
											Other/Multi	10				
											Asian/PI	7				
139e Folsom/Orangevale	42	19	8	8	0	100	51.8-193	109,032	Urban	Pov100 5 Pov200 14.6	White	79.9	11.2	No	.	
											Black	6				
											Am. Ind.	1.2				
											Other/Multi	8.3				
											Asian/PI	11				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

*Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs\* within Sacramento County, 2009-2013*

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
139f Florin/Fruitridge/Oak Park/Parkway/South Sacramento**	78	37	29	15.2	13.8	190.8	154-236.4	117,515	Urban	Pov100 26.5 Pov200 55.8	White	51.4	37	Yes	715	
											Black	14				
											Am. Ind.	3.3				
											Other/Multi	20.8				
											Asian/PI	22.7				
139g East Sacramento/La Riviera/Mather/Rancho Cordova/Rosemont	52	25	13	10.1	2.9	128.7	82.3-201.2	125,163	Urban	Pov100 15.2 Pov200 34.5	White	70.7	18.6	No	.	
											Black	11.6				
											Am. Ind.	3.3				
											Other/Multi	14				
											Asian/PI	12.5				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics							
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)	Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
139h Elk Grove/Laguna/Laguna West/Lakeside	<15 cases. See note.	.	.	.	.	.	.	73,094	Urban	Pov100 11 Pov200 30.4	White	39.5	22.7	No	.
											Black	19.8			
											Am. Ind.	1.8			
											Other/Multi	17.3			
											Asian/PI	35.7			
139i Greenhaven/Land Park/Midtown/Pocket/ Riverside/Sutterville	39	18	7	7.5	-0.5	93.3	46.1-188.8	85,349	Urban	Pov100 9.1 Pov200 24.1	White	63.8	13.2	No	.
											Black	11.9			
											Am. Ind.	2.1			
											Other/Multi	11.4			
											Asian/PI	24.5			

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
139j Capitol Park/Del Paso Heights/Downtown/Gardenland/North Sacramento**	64	28	18	11.1	6.9	162.2	115.5-227.8	123,707	Urban	Pov100 27.1 Pov200 54.2	White	60	31.1	Yes	1,028		
																Black	16.5
																Am. Ind.	3.4
																Other/Multi	19.4
																Asian/PI	12.8
139k Freeport/Meadowview**	70	23	16	8.6	7.4	186	138.2-250.4	83,680	Urban	Pov100 24.1 Pov200 52.6	White	41.5	30.9	No	.		
																Black	22.4
																Am. Ind.	2.3
																Other/Multi	15
																Asian/PI	29.7
139l Vineyard	33	15	5	5.8	-0.8	86.2	38.2-194.7	75,540	Urban	Pov100 7.1 Pov200 20	White	53.5	16.9	No	.		
																Black	11.7
																Am. Ind.	2.1
																Other/Multi	12.1
																Asian/PI	30.8

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
139m Central South Elk Grove/Franklin	<15 cases. See note.	.	.	.	.	.	.	76,040	Urban	Pov100 Pov200	8.6 19.1	White	48.1	19.2	No	.
												Black	13.7			
												Am. Ind.	1.5			
												Other/Multi	19.5			
												Asian/PI	30.5			

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Populaton:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).