

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within San Joaquin County, 2009-2013

Study Results								Demographics							
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)	Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
163 Tracy	<15 cases. See note.	93,105	Urban	Pov100 10 Pov200 25.4	White	58.7	35.3	No	.
											Black	9.1			
											Am. Ind.	2.6			
											Other/Multi	24.1			
											Asian/PI	20.9			
164.1 Lathrop/Manteca**	75	16	12	5.9	6.1	203.4	143.2-288.8	73,813	Urban	Pov100 10.1 Pov200 29.3	White	74.3	39.9	No	.
											Black	4.7			
											Am. Ind.	3.3			
											Other/Multi	16.2			
											Asian/PI	12.7			
164.2 Banta/Escalon/Ripon/ Vernalis	<15 cases. See note.	53,468	Rural	Pov100 8.1 Pov200 24.2	White	83.5	26.4	Yes	6,091
											Black	5.1			
											Am. Ind.	2.5			
											Other/Multi	10.8			
											Asian/PI	7.4			

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
165 Farmington/Linden	<15 cases. See note.	4,805	Rural	Pov100 Pov200	9.1 29.6	White	91.4	28.6	Yes	4,805	
												Black	2.8				
												Am. Ind.	1.6				
												Other/Multi	14.4				
												Asian/PI	0.7				
166 Lodi	56	16	9	7.8	1.2	115.4	71.5-186.3	66,330	Urban	Pov100 Pov200	15.8 40.6	White	75.7	33.1	Yes	2,796	
												Black	2.5				
												Am. Ind.	1.6				
												Other/Multi	14.9				
												Asian/PI	11.3				
167 Lockeford/North Woodbridge	<15 cases. See note.	37,235	Rural	Pov100 Pov200	12.6 31	White	63.1	26.7	Yes	35,340	
												Black	5				
												Am. Ind.	0.8				
												Other/Multi	14				
												Asian/PI	23				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
168 South Woodbridge/Thornton	<15 cases. See note.	24,236	Rural	Pov100 9.8 Pov200 27.1	White	70.1	28.7	No	.	
											Black	5.2				
											Am. Ind.	1.7				
											Other/Multi	14.7				
											Asian/PI	17.3				
169a Stockton North Central/Stockton Northeast**	67	18	12	7.7	4.3	155.8	120.7-201.2	97,348	Urban	Pov100 23.3 Pov200 51.2	White	47.2	36.7	Yes	2,654	
											Black	13.8				
											Am. Ind.	3.3				
											Other/Multi	20.3				
											Asian/PI	28.9				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs within San Joaquin County, 2009-2013*

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
169b French Camp/Stockton South/Stockton Southeast**	71	28	20	11.7	8.3	170.9	129-226.5	136,784	Urban	Pov100 Pov200	26.1 54.8	White	55.2	56.1	Yes	509
												Black	12.7			
												Am. Ind.	2.5			
												Other/Multi	25.3			
												Asian/PI	15.7			
169c Stockton Northwest/Stockton West	<15 cases. See note.	86,489	Urban	Pov100 Pov200	12.2 28.3	White	65.8	28.4	Yes	2,442
												Black	12.1			
												Am. Ind.	3.1			
												Other/Multi	17.8			
												Asian/PI	17.8			

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).