

**Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs\* within Santa Clara County, 2009-2013**

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
182 Gilroy/Morgan Hill/Rucker/San Martin	52	21	11	8	3	137.5	88-214.9	105,389	Rural	Pov100 9.6 Pov200 25.1	White	73.3	45.5	No	.		
											Black	1.9					
											Am. Ind.	1.5					
											Other/Multi	19.8					
											Asian/PI	11.6					
183a Los Altos/Los Altos Hills/Palo Alto Central/Stanford	<15 cases. See note.	.	.	.	.	.	.	128,006	Urban	Pov100 5.3 Pov200 10.1	White	70.8	6.7	No	.		
											Black	2.8					
											Am. Ind.	0.9					
											Other/Multi	6.5					
											Asian/PI	27.5					
183b Berryessa/East San Jose/Milpitas East	53	19	10	9	1	111.1	74.2-166.5	120,195	Urban	Pov100 9.1 Pov200 22.7	White	28.8	25.3	No	.		
											Black	2.8					
											Am. Ind.	0.9					
											Other/Multi	17.6					
											Asian/PI	57.2					

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
183c Sunnyvale South	<15 cases. See note.	.	.	.	.	.	.	87,519	Urban	Pov100 4.9 Pov200 12.6	White	49.8	11.5	No	.		
											Black	2.6					
											Am. Ind.	0.7					
											Other/Multi	9.2					
											Asian/PI	44.6					
183d Downtown San Jose	<15 cases. See note.	.	.	.	.	.	.	69,655	Urban	Pov100 24.5 Pov200 50.4	White	42.3	55.1	No	.		
											Black	4.4					
											Am. Ind.	2.2					
											Other/Multi	36.5					
											Asian/PI	20.8					
183e Alum Rock South/San Jose East	55	22	12	8.7	3.3	137.9	86.4-220.1	117,287	Urban	Pov100 15 Pov200 40.6	White	51.3	59.7	Yes	5,036		
											Black	3.1					
											Am. Ind.	1.5					
											Other/Multi	27.8					
											Asian/PI	22.3					

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
183f Cupertino/Rancho Rinconada/San Jose West/Saratoga	<15 cases. See note.	.	.	.	.	.	.	110,874	Urban	Pov100 4.5 Pov200 8.4	White	41.4	3.6	No	.	
											Black	1.2				
											Am. Ind.	0.2				
											Other/Multi	5.3				
											Asian/PI	57.9				
183g Cambrian Village East/San Jose South Central	53	17	9	7	2	128.6	90.9-181.8	114,073	Urban	Pov100 6 Pov200 17.1	White	72.6	22.9	Yes	37,901	
											Black	3.1				
											Am. Ind.	1.1				
											Other/Multi	14.1				
											Asian/PI	19.6				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

**Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs\* within Santa Clara County, 2009-2013**

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
183h San Jose Southeast**	63	24	15	9.5	5.5	157.9	111-224.6	127,051	Urban	Pov100 12.8 Pov200 31.3	White	44.4	42.1	Yes	8,450		
											Black	4.4					
											Am. Ind.	1.5					
											Other/Multi	17					
											Asian/PI	40.8					
183i New Almaden/San Jose Southwest	<15 cases. See note.	.	.	.	.	.	.	108,579	Urban	Pov100 4.1 Pov200 10.5	White	68.3	21.7	No	.		
											Black	3.3					
											Am. Ind.	1.2					
											Other/Multi	12.8					
											Asian/PI	25					
183j San Jose Northwest	33	15	5	5.1	-0.1	98	53.8-178.7	85,429	Urban	Pov100 17.1 Pov200 33.8	White	59.8	41.4	No	.		
											Black	4.4					
											Am. Ind.	1.9					
											Other/Multi	24.8					
											Asian/PI	17.8					

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
183k Evergreen/San Jose East Central	<15 cases. See note.	.	.	.	.	.	.	102,086	Urban	Pov100 6.1 Pov200 14.4	White	40.4	23.4	Yes	25,499		
											Black	3.2					
											Am. Ind.	1					
											Other/Multi	11.6					
											Asian/PI	51.4					
183l Alviso/Palo Alto Bayshore/Santa Clara Northwest/Sunnyvale North	<15 cases. See note.	.	.	.	.	.	.	119,982	Urban	Pov100 9.1 Pov200 23.3	White	55.1	24.7	No	.		
											Black	3.4					
											Am. Ind.	0.9					
											Other/Multi	17.1					
											Asian/PI	31.5					

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).  
 \*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).  
 \*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).  
 Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.  
 Source: California Cancer Registry, California Department of Public Health (September 2016).

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
183m Cambrian Village West/Campbell South/Los Gatos/Monte Sereno/San Tomas	<15 cases. See note.	.	.	.	.	.	.	99,875	Urban	Pov100 5.6 Pov200 12.6	White	80.1	10.3	No	.		
											Black	2.3					
											Am. Ind.	1.2					
											Other/Multi	8.9					
											Asian/PI	16.6					
183n Santa Clara South and West	19	16	3	5.4	-2.4	55.6	16.9-182.4	122,457	Urban	Pov100 8.2 Pov200 20	White	53.2	20.1	No	.		
											Black	4.1					
											Am. Ind.	1.4					
											Other/Multi	15.1					
											Asian/PI	35.3					
183o Milpitas West/Santa Clara Northeast	41	22	9	9	0	100	56.7-176.4	120,939	Urban	Pov100 6.6 Pov200 17.3	White	31.3	16.5	No	.		
											Black	4.3					
											Am. Ind.	1.2					
											Other/Multi	13					
											Asian/PI	57.6					

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).