

**Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs\* within Tulare County, 2009-2013**

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
227.1 Dinuba	<15 cases. See note.	.	.	.	.	.	.	32,300	Urban	Pov100 Pov200	25.1 53.5	White	76	78	Yes	3,504	
												Black	0.1				
												Am. Ind.	1.5				
												Other/Multi	28.1				
												Asian/PI	2.9				
227.2 Cutler-Orosi	<15 cases. See note.	.	.	.	.	.	.	18,443	Urban	Pov100 Pov200	39.9 69.6	White	69.9	87.4	Yes	6,147	
												Black	0.6				
												Am. Ind.	0.6				
												Other/Multi	24.6				
												Asian/PI	6.9				
228.1 Ivanhoe/Woodlake	<15 cases. See note.	.	.	.	.	.	.	15,813	Rural	Pov100 Pov200	21 58.2	White	83	73.1	Yes	1,317	
												Black	0.9				
												Am. Ind.	2.7				
												Other/Multi	20				
												Asian/PI	1.2				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

**Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs\* within Tulare County, 2009-2013**

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)	Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***	
228.2 Exeter/Lemon Cove/Lindsay/ Strathmore	<15 cases. See note.	.	.	.	.	.	.	42,001	Rural	Pov100 26.3 Pov200 56.9	White	83.8	64.1	Yes	2,986	
											Black	0.6				
											Am. Ind.	1.3				
											Other/Multi	17.3				
											Asian/PI	1.4				
229 Three Rivers	<15 cases. See note.	.	.	.	.	.	.	4,688	Frontier	Pov100 14.9 Pov200 30.3	White	93.9	23.2	Yes	4,644	
											Black	0.3				
											Am. Ind.	2.1				
											Other/Multi	9.5				
											Asian/PI	0.9				
230 Tipton/Tulare/Woodville	60	25	15	10.4	4.6	144.2	97.1-214.2	72,344	Rural	Pov100 18.8 Pov200 49.5	White	81.5	56.4	Yes	2,403	
											Black	4.4				
											Am. Ind.	1.5				
											Other/Multi	15				
											Asian/PI	3.6				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

**Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs\* within Tulare County, 2009-2013**

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
231 Alpaugh/Earlimart/ Pixley/Porterville/Rich Grove/Terra Bella	38	26	10	10	0	100	57-175.4	97,086	Rural	Pov100 Pov200	30.1 60.1	White	74.3	66.2	Yes	1,745	
												Black	1.2				
												Am. Ind.	2.3				
												Other/Multi	23.2				
												Asian/PI	5				
232 Springville	<15 cases. See note.	.	.	.	.	.	.	5,657	Frontier	Pov100 Pov200	10 26.3	White	76.1	20.2	Yes	0	
												Black	0.5				
												Am. Ind.	19.6				
												Other/Multi	9.1				
												Asian/PI	2.3				
233 Farmersville/Goshen/ Visalia**	67	24	16	8.5	7.5	188.2	133.1-266.2	141,072	Urban	Pov100 Pov200	17.2 40	White	83.4	46.7	No	.	
												Black	2.5				
												Am. Ind.	2				
												Other/Multi	12.3				
												Asian/PI	5.9				

\* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

\*\* The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

\*\*\* Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).