

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Ventura County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
237 Fillmore/Los Padres National Forest/Piru/Santa Paula/Saticoy	<15 cases. See note.	66,699	Rural	Pov100 Pov200	13.1 37.6	White	58.5	66.8	No	.	
												Black	1.3				
												Am. Ind.	1.6				
												Other/Multi	44.5				
												Asian/PI	1.7				
238 Meiners Oaks/Oak View/Ojai	<15 cases. See note.	31,651	Rural	Pov100 Pov200	6.9 21.2	White	85	21.5	No	.	
												Black	1.2				
												Am. Ind.	3.1				
												Other/Multi	16.9				
												Asian/PI	2.6				
239 Camarillo/Moorpark	<15 cases. See note.	102,869	Urban	Pov100 Pov200	4.9 14.6	White	77	25.7	No	.	
												Black	2.2				
												Am. Ind.	1				
												Other/Multi	17.1				
												Asian/PI	9.4				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Populatoin:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Ventura County, 2009-2013

Study Results								Demographics								
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)	Race (%)	Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***	
240a Simi Valley East	<15 cases. See note.	89,153	Urban	Pov100 5 Pov200 13.1	White	80.2	18.8	No	.	
											Black	1.5				
											Am. Ind.	1.1				
											Other/Multi	12.6				
											Asian/PI	10.6				
240b Thousand Oaks Central and West	40	15	6	5.1	0.9	117.6	57-242.7	110,189	Urban	Pov100 5.4 Pov200 14.9	White	82	18.4	No	.	
											Black	1.5				
											Am. Ind.	1.2				
											Other/Multi	10.8				
											Asian/PI	11.3				
240c Simi Valley West/Thousand Oaks East	<15 cases. See note.	86,495	Urban	Pov100 5.6 Pov200 15	White	80.6	19.9	Yes	5,757	
											Black	1.5				
											Am. Ind.	1.3				
											Other/Multi	13.3				
											Asian/PI	8.5				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).

Cervical Cancers: Percent Diagnosed Advanced Stage and Proportional Incidence Ratios (PIR) for MSSAs* within Ventura County, 2009-2013

Study Results								Demographics									
MSSA ID MSSA Description	Proportion Advanced Stage	Total Cases	Advanced Observed	Advanced Expected	Excess Advanced	PIR	95% C.I.	2010 Population	MSSA Designation	Federal Poverty Level (%)		Race (%)		Race (%)	Hispanic Ethnicity (%)	Primary Care Shortage Area (Yes/No)	Patient to Primary Care Physician Ratio***
241a Oxnard East/Oxnard West/Oxnard South Central/Port Hueneme	<15 cases. See note.	109,087	Urban	Pov100 Pov200	11.3 32.8	White	62.8	54.6	Yes	2,965	
												Black	4.6				
												Am. Ind.	3.6				
												Other/Multi	27.8				
												Asian/PI	11.5				
241b Oxnard North Central**	63	27	17	11.1	5.9	153.2	108.2-216.7	124,596	Urban	Pov100 Pov200	17.7 43.8	White	59.9	76.4	Yes	1,805	
												Black	4.3				
												Am. Ind.	3.8				
												Other/Multi	31.3				
												Asian/PI	8.7				
241c Ventura	41	17	7	5.4	1.6	129.6	64.3-261.3	88,341	Urban	Pov100 Pov200	10.5 26.3	White	75.2	32.5	No	.	
												Black	1.9				
												Am. Ind.	2.9				
												Other/Multi	24.8				
												Asian/PI	4.8				

* Medical Service Study Areas as defined by Office of Statewide Health Planning and Development (OSHPD).

** The proportion of advanced stage cervical cancers is significantly higher than in the comparison group (PIR p<0.01).

*** Patient to primary care physician ratio only provided for areas designated as Primary Care Shortage Areas by OSHPD. (Civilian Population:1 Physician).

Note: Statistical significance was not calculated for PIRs based on fewer than 15 total cervical cancer cases. Study results have been suppressed.

Source: California Cancer Registry, California Department of Public Health (September 2016).