

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2014, Cervix Uteri Cancer

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
ALL RACES				
1988	1,591	11.9	441	3.4
1989	1,619	11.7	434	3.3
1990	1,770	12.5	468	3.5
1991	1,661	11.7	463	3.3
1992	1,786	12.3	486	3.4
1993	1,707	11.5	443	3.1
1994	1,720	11.5	469	3.2
1995	1,641	10.9	425	2.9
1996	1,733	11.4	463	3.1
1997	1,653	10.5	480	3.1
1998	1,713	10.7	452	2.9
1999	1,686	10.3	459	2.8
2000	1,673	10.0	472	2.9
2001	1,537	9.1	465	2.8
2002	1,558	9.1	415	2.4
2003	1,450	8.3	397	2.3
2004	1,448	8.2	417	2.3
2005	1,532	8.6	408	2.3
2006	1,474	8.2	458	2.5
2007	1,517	8.3	440	2.4
2008	1,555	8.5	424	2.2
2009	1,450	7.8	439	2.3
2010	1,445	7.6	474	2.4
2011	1,403	7.3	428	2.2
2012	1,491	7.7	422	2.1
2013	1,406	7.1	492	2.3
2014	1,391	6.9	472	2.3
ASIAN/PACIFIC ISLANDER				
1988	155	14.3	44	4.6
1989	169	16.4	33	3.4
1990	169	14.7	44	4.1
1991	163	13.0	44	3.7
1992	193	14.7	49	4.2
1993	205	14.9	56	4.3
1994	236	15.7	55	4.1
1995	205	13.1	46	3.3
1996	229	13.8	53	3.3
1997	205	11.7	49	3.0
1998	199	10.7	58	3.5
1999	185	9.7	54	3.0
2000	168	8.5	53	2.8
2001	201	9.5	51	2.6
2002	186	8.4	49	2.4
2003	194	8.2	57	2.7
2004	201	8.4	64	2.8
2005	215	8.7	48	2.0
2006	200	7.8	61	2.4
2007	223	8.1	58	2.2
2008	203	7.2	51	1.8
2009	201	6.9	48	1.7
2010	205	6.9	66	2.2
2011	200	6.5	65	2.1
2012	220	6.9	60	1.8
2013	214	6.3	73	2.2
2014	204	5.9	67	2.0

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2014, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC BLACK				
1988	154	18.0	47	6.4
1989	128	15.1	67	8.6
1990	134	15.1	39	4.7
1991	123	14.3	56	6.6
1992	138	15.2	45	5.3
1993	133	14.0	52	5.9
1994	113	12.0	46	5.0
1995	133	14.2	46	5.1
1996	125	13.2	48	5.1
1997	118	12.1	55	5.7
1998	130	12.3	41	4.3
1999	117	11.2	49	4.9
2000	106	9.8	49	4.9
2001	104	9.8	51	5.0
2002	94	8.5	38	3.6
2003	96	8.5	36	3.4
2004	85	7.5	38	3.5
2005	94	8.3	33	2.9
2006	84	7.2	33	2.9
2007	83	7.0	27	2.4
2008	93	8.2	55	4.8
2009	101	8.6	44	3.8
2010	99	8.3	41	3.4
2011	90	7.5	33	2.6
2012	106	8.7	40	3.3
2013	92	7.4	43	3.2
2014	78	6.3	37	2.9
HISPANIC				
1988	430	19.2	99	5.2
1989	467	19.7	82	3.9
1990	525	21.0	118	5.8
1991	540	20.9	108	4.7
1992	578	22.2	129	5.8
1993	550	20.1	108	4.7
1994	589	20.1	130	5.1
1995	527	17.9	118	4.5
1996	569	18.8	103	3.9
1997	547	16.5	130	4.5
1998	576	16.6	112	4.0
1999	629	17.9	127	4.1
2000	671	17.8	147	4.7
2001	560	14.4	155	4.5
2002	604	14.9	141	3.9
2003	565	13.3	116	3.0
2004	536	12.2	152	4.0
2005	592	13.2	144	3.5
2006	568	12.0	162	3.8
2007	583	11.5	155	3.5
2008	573	11.0	142	3.1
2009	549	10.3	166	3.5
2010	544	9.9	160	3.3
2011	505	8.9	145	2.8
2012	547	9.2	131	2.4
2013	503	8.3	153	2.7
2014	520	8.4	168	2.9

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2014, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC WHITE				
1988	827	9.2	249	2.7
1989	819	8.8	251	2.7
1990	909	9.8	263	2.8
1991	807	8.8	254	2.7
1992	851	9.0	262	2.7
1993	784	8.4	223	2.3
1994	760	8.3	235	2.4
1995	745	8.2	214	2.2
1996	779	8.6	257	2.7
1997	754	8.2	246	2.6
1998	768	8.4	237	2.4
1999	724	7.9	228	2.3
2000	706	7.6	221	2.2
2001	645	7.1	206	2.0
2002	657	7.3	184	1.8
2003	576	6.3	186	1.9
2004	606	6.8	160	1.6
2005	606	6.8	179	1.8
2006	603	7.0	199	2.0
2007	589	6.8	195	1.9
2008	663	7.8	173	1.7
2009	585	6.8	174	1.7
2010	567	6.5	201	2.0
2011	581	6.7	180	1.7
2012	587	6.9	190	1.8
2013	568	6.7	217	2.1
2014	558	6.5	196	1.9

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.
Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2010-2014, Cervix Uteri Cancer

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2010-2014	Annual Rate	Deaths 2010-2014	Annual Rate
	Female	Female	Female	Female
ALL RACES				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	2	0.0	0	0.0
15 - 19	5	0.1	2	0.0
20 - 24	65	0.9	4	0.1
25 - 29	305	4.5	41	0.6
30 - 34	630	9.5	78	1.2
35 - 39	765	12.1	136	2.2
40 - 44	892	13.6	179	2.7
45 - 49	880	13.4	249	3.8
50 - 54	840	12.7	312	4.7
55 - 59	728	12.1	256	4.3
60 - 64	637	12.4	275	5.4
65 - 69	451	11.5	198	5.0
70 - 74	329	11.4	159	5.5
75 - 79	242	10.8	129	5.8
80 - 84	179	10.0	119	6.6
85 +	186	8.9	151	7.2
Total/Crude	7,136	7.5	2,288	2.4
ASIAN/PACIFIC ISLANDER				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	0	0.0	1	0.1
20 - 24	3	0.3	0	0.0
25 - 29	24	2.2	1	0.1
30 - 34	71	6.3	7	0.6
35 - 39	86	7.5	13	1.1
40 - 44	125	10.8	35	3.0
45 - 49	114	10.6	43	4.0
50 - 54	146	13.9	50	4.8
55 - 59	119	12.2	30	3.1
60 - 64	101	12.2	37	4.5
65 - 69	69	11.6	24	4.0
70 - 74	70	15.6	26	5.8
75 - 79	47	13.4	19	5.4
80 - 84	33	12.6	19	7.3
85 +	35	13.6	26	10.1
Total/Crude	1,043	7.3	331	2.3

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Race/ethnicity categories are mutually exclusive.
 Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2010-2014, Cervix Uteri Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2010-2014	Annual Rate	Deaths 2010-2014	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC BLACK				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.2	0	0.0
15 - 19	1	0.2	1	0.2
20 - 24	4	0.8	0	0.0
25 - 29	25	5.8	0	0.0
30 - 34	37	9.3	6	1.5
35 - 39	44	11.9	16	4.3
40 - 44	51	12.6	11	2.7
45 - 49	55	12.6	20	4.6
50 - 54	55	12.2	27	6.0
55 - 59	56	14.5	30	7.7
60 - 64	48	15.3	31	9.9
65 - 69	28	12.3	17	7.5
70 - 74	17	9.8	10	5.8
75 - 79	16	12.5	8	6.2
80 - 84	13	14.7	5	5.6
85 +	14	14.5	12	12.5
Total/Crude	465	7.7	194	3.2
HISPANIC				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.0	0	0.0
15 - 19	1	0.0	0	0.0
20 - 24	30	1.0	1	0.0
25 - 29	137	4.8	29	1.0
30 - 34	271	9.8	42	1.5
35 - 39	335	12.6	61	2.3
40 - 44	370	14.7	69	2.7
45 - 49	352	15.8	105	4.7
50 - 54	290	15.2	97	5.1
55 - 59	235	15.5	78	5.1
60 - 64	180	16.0	68	6.0
65 - 69	151	18.8	62	7.7
70 - 74	91	15.7	47	8.1
75 - 79	65	14.9	31	7.1
80 - 84	65	20.3	31	9.7
85 +	45	15.3	36	12.3
Total/Crude	2,619	7.3	757	2.1

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Race/ethnicity categories are mutually exclusive.
 Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2010-2014, Cervix Uteri Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	<u>New Cases 2010-2014</u>	<u>Annual Rate</u>	<u>Deaths 2010-2014</u>	<u>Annual Rate</u>
	Female	Female	Female	Female
NON-HISPANIC WHITE				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	3	0.2	0	0.0
20 - 24	25	1.1	3	0.1
25 - 29	111	4.6	11	0.5
30 - 34	236	10.2	21	0.9
35 - 39	279	13.1	44	2.1
40 - 44	329	13.4	63	2.6
45 - 49	337	12.1	77	2.8
50 - 54	337	10.6	136	4.3
55 - 59	302	9.7	117	3.8
60 - 64	295	10.5	136	4.8
65 - 69	197	8.6	92	4.0
70 - 74	146	8.7	74	4.4
75 - 79	109	8.3	69	5.3
80 - 84	65	5.8	64	5.7
85 +	90	6.3	77	5.4
Total/Crude	2,861	7.4	984	2.5

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
Note: In situ cancers are excluded, unless specified. Race/ethnicity categories are mutually exclusive.
Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2014, Invasive Cervix Uteri Cancer

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
ALL RACES										
1994	907	5.9	232	1.6	265	1.8	143	1.0	173	1.2
1995	897	5.9	237	1.6	243	1.6	136	1.0	128	0.8
1996	917	5.9	275	1.8	232	1.6	161	1.1	148	1.0
1997	860	5.4	243	1.6	254	1.6	156	1.0	140	0.9
1998	917	5.6	248	1.6	268	1.7	161	1.0	119	0.7
1999	871	5.3	261	1.6	283	1.8	159	1.0	112	0.7
2000	895	5.3	239	1.4	251	1.5	174	1.1	114	0.7
2001	823	4.8	208	1.2	265	1.6	171	1.0	70	0.4
2002	755	4.4	223	1.3	299	1.7	201	1.2	80	0.5
2003	722	4.1	199	1.1	259	1.5	174	1.0	96	0.5
2004	707	4.0	191	1.1	247	1.4	149	0.8	154	0.9
2005	665	3.8	189	1.1	319	1.8	179	1.0	180	1.0
2006	735	4.1	177	1.0	250	1.4	168	0.9	144	0.8
2007	726	4.0	184	1.0	265	1.5	199	1.1	143	0.8
2008	745	4.1	176	0.9	295	1.6	204	1.1	135	0.7
2009	662	3.6	173	0.9	276	1.5	204	1.1	135	0.7
2010	681	3.7	167	0.9	294	1.5	203	1.0	100	0.5
2011	647	3.4	169	0.9	284	1.5	207	1.0	96	0.5
2012	648	3.4	171	0.9	342	1.7	228	1.1	102	0.5
2013	625	3.3	151	0.7	299	1.5	232	1.1	99	0.5
2014	591	3.0	159	0.8	321	1.6	228	1.1	0	-
ASIAN/PACIFIC ISLANDER										
1994	111	7.1	44	3.0	38	2.8	18	1.2	25	1.7
1995	109	6.7	36	2.5	29	1.9	12	-	19	1.3
1996	123	7.1	41	2.6	35	2.1	18	1.2	12	-
1997	114	6.3	31	1.8	29	1.9	17	1.0	14	-
1998	118	6.1	27	1.5	22	1.2	19	1.1	13	-
1999	95	4.7	32	1.7	39	2.2	14	-	5	-
2000	84	4.2	29	1.5	34	1.8	15	0.7	6	-
2001	103	4.7	29	1.5	35	1.6	25	1.2	9	-
2002	83	3.7	34	1.6	35	1.6	24	1.1	10	-
2003	98	4.1	36	1.6	30	1.3	17	0.7	13	-
2004	94	3.8	40	1.7	33	1.4	20	0.9	14	-
2005	94	3.8	32	1.3	50	2.0	17	0.7	22	0.9
2006	99	3.8	33	1.3	29	1.1	23	0.9	16	0.6
2007	99	3.6	33	1.2	39	1.4	35	1.3	17	0.6
2008	85	3.0	31	1.1	43	1.6	26	0.9	18	0.6
2009	75	2.6	37	1.3	41	1.4	32	1.1	16	0.6
2010	84	2.9	37	1.2	47	1.6	23	0.8	14	-
2011	88	2.8	19	0.6	45	1.5	33	1.1	15	0.5
2012	101	3.2	29	0.9	43	1.3	26	0.8	21	0.7
2013	76	2.3	38	1.1	49	1.4	43	1.3	8	-
2014	80	2.3	23	0.6	63	1.8	29	0.8	0	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2014, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
NON-HISPANIC BLACK										
1994	45	4.5	17	1.9	20	2.0	14	-	17	1.9
1995	52	5.4	18	2.0	24	2.5	24	2.7	15	1.6
1996	52	5.1	23	2.4	22	2.4	13	-	15	1.9
1997	57	5.7	18	1.9	17	1.8	11	-	15	1.5
1998	57	5.1	24	2.2	23	2.3	15	1.6	11	-
1999	47	4.4	29	2.9	20	1.9	13	-	8	-
2000	54	4.9	13	-	17	1.5	12	-	10	-
2001	48	4.3	11	-	23	2.2	14	-	8	-
2002	43	3.8	15	1.4	19	1.7	15	1.5	2	-
2003	42	3.7	8	-	23	2.1	10	-	13	-
2004	47	4.1	6	-	16	1.4	12	-	4	-
2005	35	3.1	12	-	20	1.7	15	1.3	12	-
2006	38	3.3	6	-	15	1.3	16	1.3	9	-
2007	31	2.6	9	-	18	1.5	15	1.3	10	-
2008	27	2.3	15	1.3	19	1.6	14	-	18	1.7
2009	42	3.5	6	-	21	1.8	19	1.6	13	-
2010	33	2.9	10	-	26	2.2	23	1.9	7	-
2011	41	3.5	9	-	15	1.2	17	1.4	8	-
2012	42	3.6	7	-	31	2.5	19	1.5	7	-
2013	35	2.8	7	-	26	2.1	16	1.3	8	-
2014	34	2.7	9	-	15	1.2	15	1.1	0	-
HISPANIC										
1994	306	9.8	82	2.8	89	3.4	52	1.9	60	2.3
1995	303	9.6	85	3.2	72	2.5	39	1.6	28	1.0
1996	306	9.2	102	3.9	70	2.5	52	1.8	39	1.4
1997	285	7.9	84	2.8	87	2.7	44	1.5	47	1.5
1998	299	7.9	99	3.2	92	2.8	44	1.5	42	1.2
1999	328	8.5	98	3.0	107	3.2	56	1.9	40	1.3
2000	353	8.8	123	3.6	93	2.5	58	1.8	44	1.2
2001	300	7.2	91	2.5	95	2.5	54	1.6	20	0.6
2002	281	6.4	94	2.5	133	3.5	67	1.7	29	0.8
2003	275	6.1	98	2.4	92	2.3	70	1.7	30	0.7
2004	255	5.4	84	2.1	79	1.9	42	1.0	76	1.8
2005	257	5.2	79	2.0	121	2.7	57	1.4	78	1.9
2006	261	5.1	85	1.9	110	2.3	49	1.2	63	1.5
2007	287	5.4	64	1.4	111	2.2	62	1.2	59	1.4
2008	277	5.0	74	1.6	110	2.1	68	1.4	44	0.9
2009	257	4.5	70	1.4	110	2.0	62	1.3	50	1.0
2010	287	5.0	64	1.2	95	1.7	65	1.3	33	0.6
2011	226	3.7	55	1.0	120	2.1	70	1.4	34	0.6
2012	220	3.4	77	1.4	139	2.4	79	1.4	32	0.5
2013	231	3.7	52	0.9	112	1.8	75	1.3	33	0.6
2014	222	3.4	66	1.2	128	2.0	79	1.4	0	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2014, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
NON-HISPANIC WHITE										
1994	430	4.7	89	1.0	118	1.3	59	0.6	64	0.6
1995	413	4.7	97	1.0	115	1.2	61	0.7	59	0.6
1996	419	4.7	108	1.2	103	1.1	77	0.8	72	0.7
1997	388	4.3	109	1.2	121	1.3	84	0.9	52	0.5
1998	422	4.7	95	1.0	129	1.4	79	0.8	43	0.4
1999	392	4.4	99	1.0	113	1.2	75	0.8	45	0.4
2000	392	4.4	73	0.8	105	1.1	89	0.9	47	0.5
2001	356	4.1	75	0.8	109	1.2	75	0.8	30	0.3
2002	337	3.9	79	0.8	111	1.2	93	1.0	37	0.4
2003	298	3.4	56	0.6	112	1.2	75	0.7	35	0.3
2004	301	3.6	61	0.6	117	1.3	74	0.8	53	0.5
2005	265	3.2	65	0.7	124	1.4	89	0.9	63	0.6
2006	329	4.0	52	0.6	93	1.0	79	0.9	50	0.5
2007	283	3.5	76	0.8	95	1.1	83	0.9	52	0.6
2008	345	4.4	56	0.6	119	1.3	94	1.0	49	0.5
2009	281	3.6	59	0.6	103	1.2	88	0.9	54	0.6
2010	260	3.3	53	0.6	123	1.4	89	0.9	42	0.5
2011	275	3.5	82	0.9	102	1.2	86	0.9	36	0.3
2012	271	3.5	53	0.5	123	1.4	102	1.1	38	0.4
2013	270	3.6	52	0.6	112	1.2	93	0.9	41	0.4
2014	242	3.1	59	0.6	111	1.3	101	1.0	0	-

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity, Cervix Uteri Cancer

Females				
Current Age	10+ yrs	20+ yrs	30+ yrs	eventually
ALL RACES				
0	0.00	0.00	0.03	0.63
25	0.07	0.19	0.32	0.63
35	0.13	0.25	0.36	0.57
45	0.13	0.24	0.34	0.44
55	0.12	0.21	0.29	0.33
65	0.10	0.18	-	0.22
Lifetime Risk of Being Diagnosed = 0.63% Lifetime Risk of Dying of Cancer = 0.24%				
ASIAN/PACIFIC ISLANDER				
0	0.00	0.00	0.01	0.68
25	0.04	0.13	0.25	0.69
35	0.09	0.21	0.32	0.65
45	0.12	0.24	0.36	0.56
55	0.12	0.24	0.34	0.45
65	0.12	0.22	-	0.34
Lifetime Risk of Being Diagnosed = 0.68% Lifetime Risk of Dying of Cancer = 0.28%				
NON-HISPANIC BLACK				
0	0.00	0.00	0.04	0.63
25	0.07	0.19	0.31	0.63
35	0.12	0.24	0.36	0.56
45	0.12	0.25	0.33	0.46
55	0.13	0.22	0.30	0.35
65	0.10	0.18	-	0.24
Lifetime Risk of Being Diagnosed = 0.63% Lifetime Risk of Dying of Cancer = 0.29%				
HISPANIC				
0	0.00	0.00	0.03	0.84
25	0.07	0.21	0.36	0.84
35	0.14	0.28	0.43	0.78
45	0.15	0.30	0.45	0.65
55	0.15	0.30	0.43	0.51
65	0.16	0.29	-	0.37
Lifetime Risk of Being Diagnosed = 0.84% Lifetime Risk of Dying of Cancer = 0.33%				
NON-HISPANIC WHITE				
0	0.00	0.00	0.03	0.54
25	0.07	0.20	0.31	0.54
35	0.13	0.24	0.33	0.47
45	0.11	0.20	0.27	0.35
55	0.10	0.17	0.22	0.24
65	0.08	0.13	-	0.16
Lifetime Risk of Being Diagnosed = 0.54% Lifetime Risk of Dying of Cancer = 0.20%				

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2010-2014.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.