

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2014, Laryngeal Cancer

Year of Diagnosis or Death	Incidence						Mortality					
	New Cases			Annual Rate			Deaths			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
ALL RACES												
1988	1,144	910	234	4.7	8.6	1.8	352	280	72	1.5	2.9	0.5
1989	1,196	952	244	4.8	8.7	1.8	333	256	77	1.4	2.5	0.6
1990	1,195	921	274	4.8	8.3	2.0	314	245	69	1.3	2.4	0.5
1991	1,096	867	229	4.3	7.7	1.6	357	271	86	1.4	2.5	0.6
1992	1,076	879	197	4.2	7.7	1.4	320	242	78	1.2	2.2	0.5
1993	996	803	193	3.8	7.0	1.3	311	246	65	1.2	2.2	0.5
1994	1,104	869	235	4.2	7.4	1.6	302	222	80	1.2	2.0	0.5
1995	1,079	866	213	4.0	7.2	1.5	348	294	54	1.3	2.6	0.4
1996	1,037	819	218	3.8	6.8	1.5	314	250	64	1.2	2.1	0.4
1997	1,017	803	214	3.7	6.6	1.4	311	235	76	1.1	2.0	0.5
1998	1,048	812	236	3.7	6.4	1.5	330	248	82	1.2	2.1	0.5
1999	983	787	196	3.4	6.1	1.2	298	221	77	1.0	1.8	0.5
2000	946	764	182	3.2	5.8	1.1	279	226	53	1.0	1.8	0.3
2001	963	772	191	3.2	5.7	1.2	349	268	81	1.2	2.0	0.5
2002	936	768	168	3.0	5.6	1.0	312	261	51	1.0	1.9	0.3
2003	924	757	167	2.9	5.3	1.0	328	255	73	1.1	1.9	0.4
2004	882	708	174	2.7	4.9	1.0	300	246	54	0.9	1.8	0.3
2005	921	748	173	2.8	5.1	1.0	311	249	62	1.0	1.8	0.4
2006	877	711	166	2.6	4.8	0.9	315	250	65	1.0	1.7	0.4
2007	913	742	171	2.7	4.8	0.9	314	255	59	0.9	1.7	0.3
2008	897	722	175	2.5	4.6	0.9	274	215	59	0.8	1.4	0.3
2009	839	693	146	2.3	4.3	0.8	309	246	63	0.9	1.6	0.3
2010	895	731	164	2.4	4.3	0.8	299	243	56	0.8	1.5	0.3
2011	865	731	134	2.3	4.3	0.7	288	234	54	0.8	1.4	0.3
2012	870	730	140	2.2	4.1	0.7	295	256	39	0.8	1.5	0.2
2013	839	688	151	2.1	3.8	0.7	280	227	53	0.7	1.3	0.3
2014	783	652	131	1.9	3.4	0.6	268	217	51	0.6	1.2	0.2
ASIAN/PACIFIC ISLANDER												
1988	43	38	5	2.9	5.8	-	10	8	2	-	-	-
1989	34	27	7	2.0	3.5	-	8	5	3	-	-	-
1990	30	25	5	1.9	3.6	-	10	10	0	-	-	-
1991	41	33	8	2.1	3.8	-	6	5	1	-	-	-
1992	35	30	5	1.5	2.9	-	6	5	1	-	-	-
1993	38	35	3	1.8	3.8	-	8	6	2	-	-	-
1994	36	31	5	1.6	3.2	-	12	8	4	-	-	-
1995	43	41	2	1.8	3.9	-	12	12	0	-	-	-
1996	37	28	9	1.5	2.7	-	7	7	0	-	-	-
1997	44	41	3	1.6	3.5	-	10	7	3	-	-	-
1998	45	40	5	1.6	3.1	-	10	9	1	-	-	-
1999	47	41	6	1.5	3.1	-	14	11	3	-	-	-
2000	39	35	4	1.1	2.3	-	12	10	2	-	-	-
2001	52	44	8	1.5	3.1	-	19	18	1	0.6	1.3	-
2002	54	49	5	1.5	3.2	-	10	10	0	-	-	-
2003	68	61	7	1.8	3.7	-	9	6	3	-	-	-
2004	47	41	6	1.2	2.4	-	14	13	1	-	-	-
2005	39	36	3	1.0	2.1	-	16	14	2	0.4	-	-
2006	47	42	5	1.1	2.3	-	22	21	1	0.5	1.2	-
2007	37	28	9	0.8	1.4	-	24	21	3	0.6	1.2	-
2008	45	37	8	1.0	1.8	-	16	14	2	0.4	-	-
2009	63	57	6	1.3	2.7	-	19	16	3	0.4	0.8	-
2010	58	49	9	1.1	2.2	-	24	21	3	0.5	1.0	-
2011	61	52	9	1.1	2.2	-	10	10	0	-	-	-
2012	55	46	9	1.0	1.9	-	23	22	1	0.4	1.0	-
2013	51	43	8	0.8	1.6	-	18	16	2	0.3	0.7	-
2014	44	40	4	0.7	1.4	-	16	14	2	0.3	-	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2014, Laryngeal Cancer (continued)

Year of Diagnosis or Death	Incidence						Mortality					
	New Cases			Annual Rate			Deaths			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC BLACK												
1988	115	97	18	8.3	15.7	2.4	36	32	4	2.7	5.9	-
1989	84	71	13	5.9	11.7	-	31	27	4	2.3	4.5	-
1990	120	89	31	8.7	15.2	4.0	39	29	10	2.8	4.9	-
1991	100	75	25	6.8	11.8	3.1	45	37	8	3.2	6.2	-
1992	116	94	22	8.3	15.7	2.8	39	33	6	2.6	4.8	-
1993	91	68	23	6.1	10.4	2.7	38	33	5	2.6	5.3	-
1994	110	82	28	7.2	12.3	3.3	39	27	12	2.7	4.4	-
1995	100	81	19	6.7	12.4	2.3	44	34	10	2.9	5.4	-
1996	104	77	27	6.6	11.7	3.0	51	44	7	3.3	6.6	-
1997	98	78	20	6.1	11.1	2.3	35	31	4	2.4	4.9	-
1998	98	76	22	5.8	10.2	2.4	29	21	8	1.8	2.9	-
1999	116	94	22	6.9	12.6	2.4	35	27	8	2.2	4.1	-
2000	101	82	19	5.9	11.5	1.9	48	40	8	2.9	5.6	-
2001	98	79	19	5.6	10.7	1.9	46	30	16	2.7	4.6	1.6
2002	94	75	19	5.0	9.1	1.9	36	29	7	2.0	3.7	-
2003	98	81	17	5.1	9.8	1.6	57	51	6	3.1	6.8	-
2004	80	63	17	4.3	7.7	1.6	37	31	6	1.9	3.8	-
2005	92	64	28	4.7	7.6	2.6	38	30	8	2.1	4.0	-
2006	95	79	16	4.9	9.5	1.4	34	24	10	1.7	2.7	-
2007	78	56	22	3.9	6.4	1.9	33	28	5	1.8	3.6	-
2008	66	51	15	3.2	5.9	1.2	25	19	6	1.2	2.3	-
2009	93	78	15	4.4	8.3	1.3	43	36	7	2.2	4.4	-
2010	102	75	27	4.6	7.8	2.1	37	32	5	1.8	3.7	-
2011	78	62	16	3.5	6.4	1.2	30	24	6	1.5	2.9	-
2012	77	62	15	3.3	6.1	1.1	26	22	4	1.1	2.1	-
2013	68	56	12	2.9	5.4	-	26	21	5	1.2	2.4	-
2014	71	55	16	2.9	5.4	1.2	29	19	10	1.2	1.9	-
HISPANIC												
1988	85	73	12	2.8	5.4	-	41	36	5	1.6	3.4	-
1989	98	83	15	3.2	6.1	1.0	23	21	2	0.9	1.8	-
1990	95	81	14	2.9	5.8	-	25	24	1	0.9	2.2	-
1991	92	76	16	2.7	5.0	0.9	27	19	8	0.9	1.4	-
1992	93	82	11	2.7	5.4	-	22	22	0	0.7	1.7	-
1993	101	90	11	3.1	6.4	-	32	28	4	1.0	2.1	-
1994	108	88	20	3.0	5.9	0.9	22	16	6	0.6	1.0	-
1995	114	97	17	2.9	5.9	0.7	32	29	3	1.0	2.1	-
1996	107	90	17	2.7	5.3	0.7	34	30	4	1.0	1.9	-
1997	116	95	21	3.1	6.0	0.9	34	29	5	1.0	2.1	-
1998	123	109	14	2.9	6.1	-	32	28	4	0.7	1.5	-
1999	106	87	19	2.3	4.4	0.7	39	34	5	1.0	2.1	-
2000	129	106	23	2.7	5.3	0.8	34	30	4	0.9	1.9	-
2001	124	110	14	2.5	5.2	-	38	30	8	0.8	1.4	-
2002	122	112	10	2.5	5.5	-	41	37	4	0.8	1.7	-
2003	129	111	18	2.5	5.0	0.6	39	37	2	0.8	1.9	-
2004	122	106	16	2.0	4.0	0.4	44	42	2	0.9	2.0	-
2005	152	127	25	2.5	4.8	0.7	46	38	8	1.0	1.9	-
2006	125	108	17	2.0	3.9	0.5	47	41	6	0.8	1.6	-
2007	152	135	17	2.4	5.0	0.4	38	37	1	0.7	1.5	-
2008	151	128	23	2.3	4.5	0.6	36	30	6	0.6	1.1	-
2009	132	116	16	1.9	4.0	0.4	36	31	5	0.5	1.1	-
2010	150	132	18	2.1	4.2	0.4	43	38	5	0.7	1.5	-
2011	168	151	17	2.3	4.7	0.4	52	47	5	0.7	1.5	-
2012	154	140	14	1.8	3.8	-	44	41	3	0.6	1.3	-
2013	172	144	28	2.0	3.9	0.5	52	46	6	0.7	1.4	-
2014	131	112	19	1.4	2.7	0.4	51	47	4	0.6	1.2	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2014, Laryngeal Cancer (continued)

Year of Diagnosis or Death	Incidence						Mortality					
	New Cases			Annual Rate			Deaths			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC WHITE												
1988	892	696	196	5.0	8.8	2.0	265	204	61	1.5	2.7	0.6
1989	974	767	207	5.4	9.5	2.1	267	201	66	1.5	2.7	0.7
1990	943	721	222	5.1	8.8	2.3	238	180	58	1.3	2.3	0.6
1991	858	681	177	4.6	8.3	1.7	278	210	68	1.5	2.7	0.7
1992	827	669	158	4.4	8.1	1.5	253	182	71	1.4	2.2	0.7
1993	754	599	155	4.1	7.3	1.5	231	178	53	1.2	2.2	0.5
1994	841	661	180	4.5	7.9	1.8	229	171	58	1.2	2.1	0.6
1995	808	634	174	4.3	7.5	1.7	258	217	41	1.4	2.7	0.4
1996	777	615	162	4.2	7.3	1.6	221	168	53	1.2	2.0	0.5
1997	750	582	168	4.0	6.9	1.7	228	167	61	1.2	2.0	0.6
1998	772	580	192	4.0	6.7	1.9	259	190	69	1.3	2.3	0.7
1999	705	558	147	3.6	6.4	1.4	209	148	61	1.1	1.7	0.6
2000	667	535	132	3.4	6.0	1.3	180	141	39	0.9	1.6	0.4
2001	677	530	147	3.4	5.9	1.4	244	188	56	1.2	2.1	0.5
2002	661	528	133	3.3	5.8	1.2	221	183	38	1.1	2.0	0.4
2003	617	493	124	3.1	5.4	1.1	222	160	62	1.1	1.8	0.6
2004	624	490	134	3.1	5.3	1.2	204	159	45	1.0	1.8	0.4
2005	631	515	116	3.1	5.5	1.1	211	167	44	1.0	1.9	0.4
2006	597	472	125	2.9	5.0	1.2	208	161	47	1.0	1.8	0.4
2007	637	516	121	3.1	5.4	1.1	213	164	49	1.0	1.7	0.4
2008	618	494	124	2.9	5.1	1.1	194	150	44	0.9	1.6	0.4
2009	540	434	106	2.5	4.3	0.9	211	163	48	1.0	1.6	0.4
2010	569	462	107	2.6	4.6	0.9	194	151	43	0.9	1.5	0.4
2011	550	458	92	2.5	4.5	0.9	191	150	41	0.9	1.5	0.4
2012	570	471	99	2.6	4.5	0.8	199	168	31	0.9	1.7	0.3
2013	531	432	99	2.3	4.0	0.8	183	144	39	0.8	1.4	0.3
2014	522	433	89	2.2	3.9	0.7	170	135	35	0.7	1.2	0.3

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2010-2014, Laryngeal Cancer

Age at Diagnosis or Death	Incidence						Mortality					
	New Cases 2010-2014			Annual Rate			Deaths 2010-2014			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
ALL RACES												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
20 - 24	5	1	4	0.0	0.0	0.1	0	0	0	0.0	0.0	0.0
25 - 29	6	4	2	0.0	0.1	0.0	1	0	1	0.0	0.0	0.0
30 - 34	14	10	4	0.1	0.2	0.1	0	0	0	0.0	0.0	0.0
35 - 39	24	19	5	0.2	0.3	0.1	5	3	2	0.0	0.1	0.0
40 - 44	58	42	16	0.4	0.6	0.2	9	9	0	0.1	0.1	0.0
45 - 49	126	98	28	1.0	1.5	0.4	31	23	8	0.2	0.4	0.1
50 - 54	298	240	58	2.3	3.7	0.9	65	56	9	0.5	0.9	0.1
55 - 59	505	418	87	4.3	7.3	1.4	138	115	23	1.2	2.0	0.4
60 - 64	678	588	90	6.9	12.5	1.8	206	173	33	2.1	3.7	0.6
65 - 69	709	585	124	9.5	16.8	3.2	203	175	28	2.7	5.0	0.7
70 - 74	611	509	102	11.5	20.9	3.5	206	162	44	3.9	6.7	1.5
75 - 79	526	430	96	13.1	24.3	4.3	194	149	45	4.8	8.4	2.0
80 - 84	375	332	43	12.2	26.0	2.4	172	149	23	5.6	11.6	1.3
85 +	317	256	61	9.8	22.2	2.9	200	163	37	6.2	14.2	1.8
Total/Crude	4,252	3,532	720	2.2	3.7	0.8	1,430	1,177	253	0.8	1.2	0.3
ASIAN/PACIFIC ISLANDER												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
20 - 24	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
25 - 29	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
30 - 34	1	0	1	0.1	0.0	0.1	0	0	0	0.0	0.0	0.0
35 - 39	2	2	0	0.1	0.2	0.0	0	0	0	0.0	0.0	0.0
40 - 44	2	1	1	0.1	0.1	0.1	1	1	0	0.1	0.1	0.0
45 - 49	6	5	1	0.3	0.5	0.1	2	2	0	0.1	0.2	0.0
50 - 54	22	21	1	1.1	2.3	0.1	6	6	0	0.3	0.7	0.0
55 - 59	29	25	4	1.6	3.1	0.4	6	6	0	0.3	0.8	0.0
60 - 64	36	30	6	2.4	4.4	0.7	7	7	0	0.5	1.0	0.0
65 - 69	44	40	4	4.1	8.2	0.7	10	10	0	0.9	2.1	0.0
70 - 74	40	34	6	5.0	9.5	1.3	10	10	0	1.2	2.8	0.0
75 - 79	37	27	10	6.1	10.4	2.9	14	11	3	2.3	4.2	0.9
80 - 84	31	29	2	7.1	16.4	0.8	15	13	2	3.4	7.4	0.8
85 +	19	16	3	4.7	10.5	1.2	20	17	3	4.9	11.2	1.2
Total/Crude	269	230	39	1.0	1.8	0.3	91	83	8	0.3	0.6	0.1

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2010-2014, Laryngeal Cancer (continued)

Age at Diagnosis or Death	Incidence						Mortality					
	New Cases 2010-2014			Annual Rate			Deaths 2010-2014			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC BLACK												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
20 - 24	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
25 - 29	2	1	1	0.2	0.2	0.2	0	0	0	0.0	0.0	0.0
30 - 34	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
35 - 39	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
40 - 44	9	8	1	1.1	2.0	0.3	2	2	0	0.3	0.5	0.0
45 - 49	12	9	3	1.4	2.1	0.7	5	3	2	0.6	0.7	0.5
50 - 54	41	29	12	4.6	6.6	2.7	6	4	2	0.7	0.9	0.4
55 - 59	68	53	15	9.0	14.5	3.9	15	12	3	2.0	3.3	0.8
60 - 64	68	53	15	11.6	19.3	4.8	35	29	6	6.0	10.6	1.9
65 - 69	68	50	18	16.4	26.9	7.9	17	13	4	4.1	7.0	1.8
70 - 74	47	36	11	15.3	26.8	6.4	23	19	4	7.5	14.2	2.3
75 - 79	34	28	6	15.1	29.1	4.7	20	14	6	8.9	14.6	4.7
80 - 84	27	24	3	18.7	43.4	3.4	11	9	2	7.6	16.3	2.3
85 +	20	19	1	14.2	42.7	1.0	14	13	1	9.9	29.2	1.0
Total/Crude	396	310	86	3.3	5.2	1.4	148	118	30	1.2	2.0	0.5
HISPANIC												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
20 - 24	5	1	4	0.1	0.0	0.1	0	0	0	0.0	0.0	0.0
25 - 29	3	2	1	0.1	0.1	0.0	1	0	1	0.0	0.0	0.0
30 - 34	6	4	2	0.1	0.1	0.1	0	0	0	0.0	0.0	0.0
35 - 39	11	8	3	0.2	0.3	0.1	2	1	1	0.0	0.0	0.0
40 - 44	17	14	3	0.3	0.5	0.1	2	2	0	0.0	0.1	0.0
45 - 49	32	29	3	0.7	1.3	0.1	10	9	1	0.2	0.4	0.0
50 - 54	53	46	7	1.4	2.4	0.4	9	9	0	0.2	0.5	0.0
55 - 59	106	99	7	3.6	6.9	0.5	19	19	0	0.6	1.3	0.0
60 - 64	107	99	8	5.0	9.9	0.7	31	30	1	1.5	3.0	0.1
65 - 69	113	99	14	7.7	14.8	1.7	35	29	6	2.4	4.3	0.8
70 - 74	118	106	12	11.5	23.7	2.1	36	32	4	3.5	7.2	0.7
75 - 79	97	81	16	13.0	25.8	3.7	35	33	2	4.7	10.5	0.5
80 - 84	57	50	7	10.7	23.3	2.2	25	24	1	4.7	11.2	0.3
85 +	50	41	9	10.8	24.2	3.1	37	31	6	8.0	18.3	2.0
Total/Crude	775	679	96	1.1	1.9	0.3	242	219	23	0.3	0.6	0.1

(Table Continues)

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2010-2014, Laryngeal Cancer (continued)

Age at Diagnosis or Death	Incidence						Mortality					
	New Cases 2010-2014			Annual Rate			Deaths 2010-2014			Annual Rate		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
NON-HISPANIC WHITE												
00 - 04	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
20 - 24	0	0	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
25 - 29	1	1	0	0.0	0.0	0.0	0	0	0	0.0	0.0	0.0
30 - 34	7	6	1	0.2	0.2	0.0	0	0	0	0.0	0.0	0.0
35 - 39	11	9	2	0.3	0.4	0.1	3	2	1	0.1	0.1	0.1
40 - 44	29	18	11	0.6	0.7	0.5	4	4	0	0.1	0.2	0.0
45 - 49	73	52	21	1.3	1.8	0.8	13	8	5	0.2	0.3	0.2
50 - 54	172	137	35	2.7	4.3	1.1	42	36	6	0.7	1.1	0.2
55 - 59	300	240	60	4.9	7.8	1.9	95	75	20	1.5	2.4	0.7
60 - 64	453	394	59	8.2	14.5	2.1	132	107	25	2.4	3.9	0.9
65 - 69	475	389	86	10.8	18.3	3.8	139	122	17	3.2	5.7	0.7
70 - 74	396	326	70	12.5	22.0	4.2	137	101	36	4.3	6.8	2.1
75 - 79	351	288	63	14.6	26.4	4.8	125	91	34	5.2	8.4	2.6
80 - 84	251	220	31	12.9	26.6	2.8	118	100	18	6.1	12.1	1.6
85 +	223	176	47	10.0	22.5	3.3	129	102	27	5.8	13.0	1.9
Total/Crude	2,742	2,256	486	3.6	5.9	1.3	937	748	189	1.2	1.9	0.5

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity and Sex, Laryngeal Cancer

Current Age	Males				Females			
	10+ yrs	20+ yrs	30+ yrs	eventually	10+ yrs	20+ yrs	30+ yrs	eventually
ALL RACES								
0	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.08
25	0.00	0.01	0.03	0.46	0.00	0.00	0.01	0.08
35	0.00	0.03	0.12	0.46	0.00	0.01	0.02	0.08
45	0.03	0.11	0.26	0.46	0.01	0.02	0.05	0.08
55	0.09	0.24	0.38	0.45	0.01	0.04	0.07	0.08
65	0.16	0.32	-	0.40	0.03	0.05	-	0.07
	Lifetime Risk of Being Diagnosed = 0.45%				Lifetime Risk of Being Diagnosed = 0.08%			
	Lifetime Risk of Dying of Cancer = 0.17%				Lifetime Risk of Dying of Cancer = 0.04%			
ASIAN/PACIFIC ISLANDER								
0	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.04
25	0.00	0.00	0.02	0.27	0.00	0.00	0.00	0.04
35	0.00	0.02	0.05	0.27	0.00	0.00	0.01	0.04
45	0.01	0.05	0.13	0.27	0.00	0.01	0.02	0.04
55	0.04	0.11	0.20	0.26	0.01	0.01	0.03	0.04
65	0.08	0.18	-	0.24	0.01	0.02	-	0.03
	Lifetime Risk of Being Diagnosed = 0.26%				Lifetime Risk of Being Diagnosed = 0.04%			
	Lifetime Risk of Dying of Cancer = 0.13%				Lifetime Risk of Dying of Cancer = 0.02%			
NON-HISPANIC BLACK								
0	0.00	0.00	0.00	0.56	0.00	0.00	0.00	0.13
25	0.00	0.01	0.05	0.58	0.00	0.00	0.02	0.13
35	0.01	0.05	0.19	0.59	0.00	0.02	0.05	0.13
45	0.04	0.18	0.35	0.60	0.02	0.05	0.10	0.13
55	0.15	0.33	0.49	0.60	0.04	0.09	0.12	0.12
65	0.21	0.40	-	0.53	0.06	0.09	-	0.09
	Lifetime Risk of Being Diagnosed = 0.56%				Lifetime Risk of Being Diagnosed = 0.13%			
	Lifetime Risk of Dying of Cancer = 0.25%				Lifetime Risk of Dying of Cancer = 0.05%			
HISPANIC								
0	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.06
25	0.00	0.01	0.03	0.48	0.00	0.00	0.00	0.06
35	0.00	0.02	0.10	0.48	0.00	0.00	0.01	0.06
45	0.02	0.10	0.24	0.49	0.00	0.01	0.02	0.06
55	0.08	0.23	0.38	0.48	0.01	0.02	0.04	0.05
65	0.17	0.33	-	0.44	0.02	0.04	-	0.05
	Lifetime Risk of Being Diagnosed = 0.47%				Lifetime Risk of Being Diagnosed = 0.06%			
	Lifetime Risk of Dying of Cancer = 0.21%				Lifetime Risk of Dying of Cancer = 0.02%			
NON-HISPANIC WHITE								
0	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.10
25	0.00	0.01	0.04	0.47	0.00	0.00	0.01	0.10
35	0.01	0.04	0.13	0.48	0.00	0.01	0.03	0.10
45	0.03	0.13	0.28	0.48	0.01	0.03	0.06	0.10
55	0.10	0.26	0.41	0.47	0.02	0.05	0.08	0.09
65	0.17	0.33	-	0.40	0.03	0.06	-	0.07
	Lifetime Risk of Being Diagnosed = 0.46%				Lifetime Risk of Being Diagnosed = 0.10%			
	Lifetime Risk of Dying of Cancer = 0.17%				Lifetime Risk of Dying of Cancer = 0.04%			

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (November 2016) and CDPH Center for Health Statistics Death Master Files.
 Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2010-2014.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.