

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2015, Cervix Uteri Cancer

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
ALL RACES				
1988	1,578	11.8	441	3.4
1989	1,609	11.6	434	3.3
1990	1,757	12.4	468	3.5
1991	1,647	11.6	463	3.3
1992	1,777	12.2	486	3.4
1993	1,689	11.4	443	3.1
1994	1,712	11.4	469	3.2
1995	1,637	10.8	425	2.9
1996	1,720	11.3	463	3.1
1997	1,642	10.5	480	3.1
1998	1,697	10.6	452	2.9
1999	1,680	10.3	459	2.8
2000	1,664	10.0	472	2.9
2001	1,525	9.0	465	2.8
2002	1,555	9.0	415	2.4
2003	1,443	8.2	397	2.3
2004	1,441	8.2	417	2.3
2005	1,529	8.6	408	2.3
2006	1,467	8.2	458	2.5
2007	1,511	8.3	440	2.4
2008	1,540	8.4	424	2.2
2009	1,441	7.7	439	2.3
2010	1,442	7.6	474	2.4
2011	1,393	7.2	428	2.2
2012	1,491	7.7	422	2.1
2013	1,409	7.1	492	2.3
2014	1,405	7.0	472	2.3
2015	1,417	7.0	498	2.3
ASIAN/PACIFIC ISLANDER				
1988	150	13.9	44	4.6
1989	165	16.1	33	3.4
1990	164	14.3	44	4.1
1991	155	12.4	44	3.7
1992	191	14.6	49	4.2
1993	198	14.5	56	4.3
1994	234	15.6	55	4.1
1995	201	12.9	46	3.3
1996	223	13.5	53	3.3
1997	201	11.5	49	3.0
1998	192	10.4	58	3.5
1999	181	9.5	54	3.0
2000	166	8.4	53	2.8
2001	200	9.5	51	2.6
2002	186	8.4	49	2.4
2003	194	8.2	57	2.7
2004	201	8.4	64	2.8
2005	213	8.6	48	2.0
2006	196	7.6	61	2.4
2007	220	8.0	58	2.2
2008	199	7.1	51	1.8
2009	199	6.9	48	1.7
2010	204	6.9	66	2.2
2011	195	6.3	65	2.1
2012	219	6.9	60	1.9
2013	215	6.4	73	2.2
2014	208	6.0	67	2.0
2015	227	6.4	84	2.3

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2015, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC BLACK				
1988	152	17.8	47	6.4
1989	128	15.1	67	8.6
1990	131	14.8	39	4.7
1991	123	14.3	56	6.6
1992	138	15.2	45	5.3
1993	133	14.2	52	5.9
1994	112	11.9	46	5.0
1995	134	14.3	46	5.1
1996	124	13.1	48	5.1
1997	118	12.1	55	5.7
1998	131	12.5	41	4.3
1999	117	11.2	49	4.9
2000	106	9.8	49	4.9
2001	104	9.8	51	5.0
2002	94	8.5	38	3.6
2003	94	8.4	36	3.4
2004	86	7.6	38	3.5
2005	94	8.3	33	2.9
2006	84	7.2	33	2.9
2007	83	7.0	27	2.4
2008	92	8.1	55	4.8
2009	100	8.5	44	3.8
2010	99	8.3	41	3.4
2011	90	7.5	33	2.6
2012	109	9.0	40	3.3
2013	93	7.4	43	3.2
2014	80	6.4	37	2.9
2015	100	7.6	43	3.2
HISPANIC				
1988	429	19.2	99	5.2
1989	467	19.7	82	3.9
1990	524	21.0	118	5.8
1991	538	20.9	108	4.7
1992	576	22.1	129	5.8
1993	550	20.1	108	4.7
1994	588	20.1	130	5.1
1995	527	17.9	118	4.5
1996	569	18.8	103	3.9
1997	545	16.4	130	4.5
1998	576	16.6	112	4.0
1999	628	17.8	127	4.1
2000	668	17.8	147	4.7
2001	557	14.3	155	4.5
2002	604	14.9	141	3.9
2003	564	13.2	116	3.0
2004	536	12.2	152	4.0
2005	592	13.2	144	3.5
2006	568	12.0	162	3.8
2007	582	11.5	155	3.5
2008	571	11.0	142	3.1
2009	549	10.3	166	3.5
2010	543	9.9	160	3.3
2011	503	8.8	145	2.8
2012	547	9.2	131	2.4
2013	503	8.3	153	2.7
2014	524	8.5	168	2.9
2015	520	8.1	165	2.8

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2015, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC WHITE				
1988	823	9.2	249	2.7
1989	816	8.8	251	2.7
1990	906	9.7	263	2.8
1991	804	8.8	254	2.7
1992	849	9.0	262	2.7
1993	775	8.3	223	2.3
1994	758	8.2	235	2.4
1995	745	8.2	214	2.2
1996	774	8.6	257	2.7
1997	750	8.2	246	2.6
1998	760	8.3	237	2.4
1999	725	7.9	228	2.3
2000	704	7.6	221	2.2
2001	639	7.0	206	2.0
2002	654	7.3	184	1.8
2003	576	6.3	186	1.9
2004	600	6.8	160	1.6
2005	606	6.8	179	1.8
2006	602	7.0	199	2.0
2007	589	6.8	195	1.9
2008	657	7.7	173	1.7
2009	580	6.8	174	1.7
2010	567	6.5	201	2.0
2011	578	6.7	180	1.7
2012	585	6.9	190	1.8
2013	569	6.7	217	2.1
2014	561	6.5	196	1.9
2015	526	6.3	201	2.0

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2011-2015, Cervix Uteri Cancer

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2011-2015	Annual Rate	Deaths 2011-2015	Annual Rate
	Female	Female	Female	Female
ALL RACES				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.0	0	0.0
15 - 19	6	0.1	2	0.0
20 - 24	59	0.8	5	0.1
25 - 29	315	4.5	41	0.6
30 - 34	626	9.3	83	1.2
35 - 39	762	12.0	136	2.1
40 - 44	882	13.5	185	2.8
45 - 49	862	13.2	232	3.6
50 - 54	797	12.0	323	4.9
55 - 59	731	11.9	255	4.1
60 - 64	665	12.6	279	5.3
65 - 69	463	11.1	205	4.9
70 - 74	331	10.9	163	5.4
75 - 79	252	11.0	136	5.9
80 - 84	180	10.0	116	6.5
85 +	183	8.5	151	7.0
Total/Crude	7,115	7.2	2,312	2.4
ASIAN/PACIFIC ISLANDER				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	0	0.0	1	0.1
20 - 24	2	0.2	0	0.0
25 - 29	31	2.8	1	0.1
30 - 34	70	6.0	7	0.6
35 - 39	84	7.3	16	1.4
40 - 44	123	10.4	35	3.0
45 - 49	119	10.9	41	3.8
50 - 54	138	12.9	56	5.2
55 - 59	127	12.6	33	3.3
60 - 64	101	11.6	40	4.6
65 - 69	76	11.7	25	3.9
70 - 74	69	14.7	27	5.8
75 - 79	52	14.2	24	6.6
80 - 84	31	11.4	17	6.2
85 +	41	14.7	26	9.3
Total/Crude	1,064	6.4	349	2.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2011-2015, Cervix Uteri Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2011-2015	Annual Rate	Deaths 2011-2015	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC BLACK				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.2	0	0.0
15 - 19	1	0.2	1	0.2
20 - 24	2	0.4	2	0.4
25 - 29	23	5.1	1	0.2
30 - 34	36	8.9	8	2.0
35 - 39	42	11.3	17	4.6
40 - 44	48	12.2	11	2.8
45 - 49	54	12.7	15	3.5
50 - 54	51	11.3	30	6.7
55 - 59	66	16.5	33	8.3
60 - 64	54	16.7	31	9.6
65 - 69	31	12.9	16	6.7
70 - 74	21	11.8	11	6.2
75 - 79	17	12.8	5	3.8
80 - 84	14	15.4	6	6.6
85 +	11	11.1	9	9.1
Total/Crude	472	7.6	196	3.2
HISPANIC				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	1	0.0	0	0.0
20 - 24	29	0.9	1	0.0
25 - 29	141	4.9	27	0.9
30 - 34	268	9.6	47	1.7
35 - 39	325	12.2	66	2.5
40 - 44	362	14.1	71	2.8
45 - 49	352	15.5	97	4.3
50 - 54	277	14.0	100	5.1
55 - 59	220	13.8	75	4.7
60 - 64	194	16.3	65	5.5
65 - 69	155	18.1	64	7.5
70 - 74	94	15.4	46	7.5
75 - 79	66	14.6	34	7.5
80 - 84	67	20.3	34	10.3
85 +	46	14.5	35	11.0
Total/Crude	2,597	8.6	762	2.1

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2011-2015, Cervix Uteri Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	<u>New Cases 2011-2015</u>	<u>Annual Rate</u>	<u>Deaths 2011-2015</u>	<u>Annual Rate</u>
	Female	Female	Female	Female
NON-HISPANIC WHITE				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	4	0.2	0	0.0
20 - 24	25	1.1	2	0.1
25 - 29	113	4.6	12	0.5
30 - 34	235	10.0	20	0.9
35 - 39	291	13.7	37	1.7
40 - 44	324	13.6	67	2.8
45 - 49	309	11.5	74	2.8
50 - 54	318	10.2	133	4.3
55 - 59	303	9.7	114	3.7
60 - 64	301	10.6	139	4.9
65 - 69	194	8.1	97	4.1
70 - 74	141	8.1	78	4.5
75 - 79	111	8.3	71	5.3
80 - 84	67	6.1	59	5.4
85 +	83	5.7	81	5.6
Total/Crude	2,819	6.6	984	2.5

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Cervix Uteri Cancer

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
ALL RACES										
1994	904	5.9	233	1.6	264	1.8	143	1.0	168	1.1
1995	895	5.8	236	1.6	243	1.6	135	0.9	128	0.8
1996	907	5.9	275	1.8	231	1.5	160	1.1	147	1.0
1997	853	5.4	243	1.6	253	1.6	154	1.0	139	0.9
1998	908	5.6	247	1.6	263	1.7	160	1.0	119	0.7
1999	867	5.3	261	1.6	281	1.7	159	1.0	112	0.7
2000	891	5.3	238	1.4	249	1.5	173	1.1	113	0.7
2001	816	4.8	208	1.2	261	1.5	170	1.0	70	0.4
2002	753	4.4	222	1.3	299	1.7	201	1.2	80	0.5
2003	719	4.1	198	1.1	256	1.5	174	1.0	96	0.5
2004	702	4.0	190	1.1	247	1.4	148	0.8	154	0.9
2005	664	3.8	190	1.1	317	1.8	178	1.0	180	1.0
2006	731	4.1	175	1.0	250	1.4	167	0.9	144	0.8
2007	722	4.0	183	1.0	265	1.5	198	1.1	143	0.8
2008	738	4.1	175	0.9	291	1.6	201	1.1	135	0.7
2009	656	3.6	172	0.9	275	1.5	203	1.0	135	0.7
2010	678	3.7	167	0.9	293	1.5	204	1.0	100	0.5
2011	637	3.4	170	0.9	284	1.5	207	1.0	95	0.5
2012	646	3.4	171	0.9	342	1.7	228	1.1	104	0.5
2013	624	3.2	152	0.7	299	1.5	233	1.1	101	0.5
2014	593	3.0	160	0.8	323	1.6	231	1.1	98	0.5
2015	592	3.0	181	0.9	302	1.5	224	1.0	118	0.6
ASIAN/PACIFIC ISLANDER										
1994	111	7.1	44	3.0	38	2.8	18	1.2	23	1.5
1995	107	6.6	35	2.5	29	1.9	11	-	19	1.3
1996	117	6.8	41	2.6	35	2.1	18	1.2	12	-
1997	112	6.2	31	1.8	28	1.8	16	0.9	14	-
1998	112	5.8	27	1.5	21	1.2	19	1.1	13	-
1999	92	4.6	32	1.7	38	2.1	14	-	5	-
2000	82	4.1	29	1.5	34	1.8	15	0.7	6	-
2001	103	4.7	29	1.5	35	1.6	24	1.2	9	-
2002	84	3.7	33	1.6	35	1.6	24	1.1	10	-
2003	99	4.1	36	1.6	29	1.2	17	0.7	13	-
2004	94	3.8	40	1.7	33	1.4	20	0.9	14	-
2005	93	3.8	32	1.3	50	2.0	16	0.6	22	0.9
2006	98	3.8	31	1.2	29	1.1	22	0.8	16	0.6
2007	97	3.5	33	1.2	39	1.4	34	1.2	17	0.6
2008	85	3.0	30	1.1	40	1.5	25	0.9	19	0.7
2009	74	2.5	37	1.3	40	1.4	32	1.1	16	0.6
2010	83	2.9	37	1.2	47	1.6	23	0.8	14	-
2011	82	2.7	20	0.7	45	1.5	33	1.1	15	0.5
2012	99	3.1	29	0.9	43	1.3	26	0.8	22	0.7
2013	75	2.3	39	1.1	49	1.4	43	1.3	9	-
2014	80	2.3	23	0.6	64	1.8	29	0.8	12	-
2015	92	2.7	40	1.1	49	1.4	30	0.8	16	0.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
NON-HISPANIC BLACK										
1994	45	4.5	17	1.9	20	2.0	14	-	16	1.8
1995	53	5.5	18	2.0	24	2.5	24	2.7	15	1.6
1996	51	5.0	23	2.4	22	2.4	13	-	15	1.9
1997	57	5.7	18	1.9	17	1.8	11	-	15	1.5
1998	60	5.5	23	2.1	23	2.3	14	-	11	-
1999	47	4.4	29	2.9	20	1.9	13	-	8	-
2000	54	4.9	13	-	17	1.5	12	-	10	-
2001	48	4.3	11	-	23	2.2	14	-	8	-
2002	43	3.8	15	1.4	19	1.7	15	1.5	2	-
2003	41	3.6	8	-	22	2.0	10	-	13	-
2004	48	4.2	6	-	16	1.4	12	-	4	-
2005	35	3.1	12	-	20	1.7	15	1.3	12	-
2006	38	3.3	6	-	15	1.3	16	1.3	9	-
2007	31	2.6	9	-	18	1.5	15	1.3	10	-
2008	27	2.3	15	1.3	19	1.6	13	-	18	1.7
2009	41	3.5	6	-	21	1.8	18	1.5	14	-
2010	33	2.9	10	-	26	2.2	23	1.9	7	-
2011	41	3.5	9	-	15	1.2	17	1.4	8	-
2012	43	3.6	8	-	31	2.5	19	1.5	8	-
2013	35	2.8	7	-	26	2.1	16	1.3	9	-
2014	34	2.7	9	-	15	1.2	15	1.1	7	-
2015	31	2.4	14	-	16	1.3	27	1.9	12	-
HISPANIC										
1994	305	9.7	83	2.8	89	3.4	52	1.9	59	2.3
1995	303	9.6	85	3.2	72	2.5	39	1.6	28	1.0
1996	306	9.2	102	3.9	70	2.5	52	1.8	39	1.4
1997	283	7.9	84	2.8	87	2.7	44	1.5	47	1.5
1998	299	7.9	99	3.2	92	2.8	44	1.5	42	1.2
1999	327	8.5	98	3.0	107	3.2	56	1.9	40	1.3
2000	352	8.7	122	3.5	93	2.5	58	1.8	43	1.2
2001	298	7.2	91	2.5	94	2.5	54	1.6	20	0.6
2002	280	6.4	95	2.5	133	3.5	67	1.7	29	0.8
2003	274	6.1	98	2.4	92	2.3	70	1.7	30	0.7
2004	255	5.4	84	2.1	79	1.9	42	1.0	76	1.8
2005	258	5.2	79	2.0	120	2.7	57	1.4	78	1.9
2006	262	5.1	85	1.9	110	2.3	49	1.2	62	1.5
2007	286	5.3	64	1.4	111	2.2	62	1.2	59	1.4
2008	275	4.9	74	1.6	110	2.1	68	1.4	44	0.9
2009	257	4.5	70	1.4	110	2.0	62	1.3	50	1.0
2010	286	5.0	63	1.2	95	1.7	66	1.3	33	0.6
2011	224	3.7	55	1.0	120	2.1	70	1.4	34	0.6
2012	220	3.4	77	1.4	139	2.4	79	1.4	32	0.5
2013	231	3.7	52	0.9	112	1.8	75	1.3	33	0.6
2014	221	3.4	67	1.2	127	2.0	81	1.5	28	0.5
2015	215	3.2	71	1.2	111	1.7	83	1.4	40	0.6

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2015, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
NON-HISPANIC WHITE										
1994	429	4.7	89	1.0	117	1.3	59	0.6	64	0.6
1995	412	4.7	97	1.0	116	1.3	61	0.7	59	0.6
1996	416	4.7	108	1.2	102	1.1	76	0.8	72	0.7
1997	385	4.3	109	1.2	121	1.3	83	0.9	52	0.5
1998	418	4.7	95	1.0	125	1.4	79	0.8	43	0.4
1999	393	4.5	99	1.0	112	1.2	75	0.8	46	0.5
2000	392	4.4	73	0.8	103	1.1	88	0.9	48	0.5
2001	353	4.0	75	0.8	106	1.1	75	0.8	30	0.3
2002	335	3.9	78	0.8	111	1.2	93	1.0	37	0.4
2003	298	3.4	55	0.6	111	1.1	75	0.7	37	0.3
2004	296	3.5	60	0.6	118	1.3	73	0.8	53	0.5
2005	264	3.2	67	0.7	123	1.4	89	0.9	63	0.6
2006	325	4.0	52	0.6	93	1.0	79	0.9	53	0.6
2007	282	3.5	75	0.8	95	1.1	83	0.9	54	0.6
2008	340	4.3	56	0.6	118	1.3	93	1.0	50	0.5
2009	277	3.5	59	0.6	103	1.2	88	0.9	53	0.5
2010	260	3.3	54	0.6	122	1.4	89	0.9	42	0.5
2011	273	3.5	82	0.9	102	1.2	86	0.9	35	0.3
2012	270	3.5	52	0.5	123	1.4	102	1.1	38	0.4
2013	270	3.6	52	0.6	112	1.2	94	1.0	41	0.4
2014	245	3.1	59	0.6	112	1.3	102	1.1	43	0.4
2015	234	3.1	53	0.6	122	1.4	84	0.9	33	0.3

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Excludes cases reported by the Department of Veterans Affairs. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity, Cervix Uteri Cancer

Current Age	Females			
	10+ yrs	20+ yrs	30+ yrs	eventually
ALL RACES				
0	0.00	0.00	0.03	0.62
25	0.07	0.19	0.31	0.62
35	0.12	0.25	0.36	0.56
45	0.12	0.24	0.33	0.44
55	0.12	0.21	0.29	0.33
65	0.10	0.18	-	0.22
Lifetime Risk of Being Diagnosed = 0.62%				
Lifetime Risk of Dying of Cancer = 0.24%				
ASIAN/PACIFIC ISLANDER				
0	0.00	0.00	0.02	0.68
25	0.04	0.13	0.24	0.69
35	0.09	0.20	0.32	0.64
45	0.12	0.23	0.35	0.56
55	0.12	0.24	0.33	0.45
65	0.12	0.22	-	0.35
Lifetime Risk of Being Diagnosed = 0.68%				
Lifetime Risk of Dying of Cancer = 0.28%				
NON-HISPANIC BLACK				
0	0.00	0.00	0.03	0.63
25	0.07	0.18	0.29	0.64
35	0.11	0.23	0.37	0.57
45	0.12	0.26	0.35	0.47
55	0.15	0.25	0.33	0.37
65	0.11	0.20	-	0.25
Lifetime Risk of Being Diagnosed = 0.63%				
Lifetime Risk of Dying of Cancer = 0.28%				
HISPANIC				
0	0.00	0.00	0.03	0.82
25	0.07	0.20	0.34	0.82
35	0.13	0.27	0.41	0.75
45	0.14	0.29	0.43	0.63
55	0.15	0.29	0.41	0.49
65	0.16	0.28	-	0.37
Lifetime Risk of Being Diagnosed = 0.82%				
Lifetime Risk of Dying of Cancer = 0.32%				
NON-HISPANIC WHITE				
0	0.00	0.00	0.03	0.54
25	0.07	0.20	0.31	0.54
35	0.13	0.24	0.33	0.47
45	0.11	0.20	0.27	0.34
55	0.10	0.17	0.22	0.24
65	0.07	0.13	-	0.15
Lifetime Risk of Being Diagnosed = 0.54%				
Lifetime Risk of Dying of Cancer = 0.20%				

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
 Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2011-2015.
 Excludes cases reported by the Department of Veterans Affairs.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.