

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2015, Testicular Cancer

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
ALL RACES				
1988	732	4.5	52	0.4
1989	794	4.7	52	0.3
1990	826	4.9	52	0.4
1991	814	4.7	48	0.3
1992	833	4.7	43	0.3
1993	832	4.9	43	0.3
1994	762	4.4	69	0.4
1995	829	4.9	47	0.3
1996	842	4.9	44	0.3
1997	805	4.7	52	0.3
1998	924	5.3	45	0.3
1999	921	5.2	55	0.3
2000	924	5.2	49	0.3
2001	920	5.1	57	0.3
2002	886	4.9	55	0.3
2003	947	5.2	34	0.2
2004	950	5.2	55	0.3
2005	978	5.3	71	0.4
2006	984	5.3	67	0.4
2007	1,021	5.4	50	0.3
2008	1,046	5.6	55	0.3
2009	1,042	5.5	60	0.3
2010	1,085	5.7	59	0.3
2011	1,039	5.4	62	0.3
2012	1,068	5.5	69	0.4
2013	1,143	5.8	54	0.3
2014	1,206	6.1	74	0.4
2015	1,165	5.8	58	0.3
ASIAN/PACIFIC ISLANDER				
1988	20	1.4	1	-
1989	25	1.8	1	-
1990	22	1.5	4	-
1991	27	1.7	4	-
1992	29	1.7	1	-
1993	34	1.9	0	-
1994	34	2.0	2	-
1995	30	1.6	1	-
1996	26	1.4	3	-
1997	32	1.7	1	-
1998	46	2.4	1	-
1999	37	1.9	1	-
2000	38	1.9	2	-
2001	36	1.6	3	-
2002	29	1.2	1	-
2003	31	1.4	1	-
2004	34	1.4	2	-
2005	45	1.9	4	-
2006	40	1.6	4	-
2007	50	2.0	4	-
2008	39	1.5	4	-
2009	58	2.2	2	-
2010	53	2.1	4	-
2011	54	2.0	1	-
2012	58	2.1	4	-
2013	67	2.3	6	-
2014	71	2.4	6	-
2015	65	2.1	1	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2015, Testicular Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
NON-HISPANIC BLACK				
1988	16	1.3	2	-
1989	13	-	1	-
1990	10	-	2	-
1991	13	-	1	-
1992	17	1.3	0	-
1993	14	-	0	-
1994	10	-	3	-
1995	15	1.2	1	-
1996	15	1.5	1	-
1997	17	1.4	3	-
1998	19	1.7	2	-
1999	17	1.7	1	-
2000	18	1.5	2	-
2001	24	2.1	3	-
2002	16	1.5	4	-
2003	14	-	1	-
2004	16	1.3	3	-
2005	15	1.3	3	-
2006	16	1.4	3	-
2007	20	1.7	0	-
2008	24	2.1	3	-
2009	21	1.9	1	-
2010	20	1.8	1	-
2011	16	1.3	0	-
2012	22	1.7	3	-
2013	22	1.7	2	-
2014	16	1.3	7	-
2015	13	-	1	-
HISPANIC				
1988	117	2.6	13	-
1989	147	2.9	17	0.4
1990	147	3.2	11	-
1991	178	3.4	8	-
1992	151	2.9	14	-
1993	196	3.9	8	-
1994	146	2.9	30	0.9
1995	187	3.4	15	0.4
1996	203	3.6	12	-
1997	195	3.3	17	0.3
1998	205	3.4	13	-
1999	218	3.4	16	0.3
2000	255	4.1	15	0.3
2001	246	3.7	19	0.4
2002	253	3.8	17	0.3
2003	278	3.9	14	-
2004	295	4.1	20	0.3
2005	311	4.2	34	0.5
2006	344	4.7	26	0.5
2007	354	4.6	27	0.4
2008	372	4.8	25	0.4
2009	400	4.9	24	0.3
2010	407	4.9	26	0.4
2011	407	5.1	30	0.4
2012	447	5.4	31	0.4
2013	425	5.1	24	0.3
2014	476	5.7	27	0.4
2015	522	6.1	30	0.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2015, Testicular Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
NON-HISPANIC WHITE				
1988	569	6.0	36	0.4
1989	600	6.2	32	0.4
1990	635	6.6	35	0.4
1991	585	6.1	35	0.4
1992	631	6.6	27	0.3
1993	579	6.3	35	0.4
1994	565	6.2	34	0.4
1995	582	6.7	30	0.3
1996	578	6.8	28	0.3
1997	548	6.4	31	0.4
1998	640	7.6	28	0.3
1999	633	7.5	36	0.4
2000	600	7.2	30	0.4
2001	602	7.2	31	0.4
2002	570	7.0	33	0.4
2003	602	7.4	18	0.2
2004	581	7.3	29	0.3
2005	590	7.5	30	0.4
2006	551	7.1	34	0.4
2007	571	7.4	19	0.2
2008	587	7.7	22	0.3
2009	534	7.1	33	0.4
2010	568	7.5	28	0.3
2011	533	7.2	31	0.4
2012	513	6.9	31	0.4
2013	597	8.1	22	0.3
2014	592	7.9	31	0.3
2015	526	7.0	25	0.3

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Rates based on fewer than 15 cases or deaths are not shown.

Excludes cases reported by the Department of Veterans Affairs.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2011-2015, Testicular Cancer

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2011-2015	Annual Rate	Deaths 2011-2015	Annual Rate
	Male	Male	Male	Male
ALL RACES				
00 - 04	23	0.4	0	0.0
05 - 09	4	0.1	0	0.0
10 - 14	14	0.2	0	0.0
15 - 19	316	4.6	5	0.1
20 - 24	885	11.8	47	0.6
25 - 29	1,134	15.3	66	0.9
30 - 34	975	13.9	38	0.5
35 - 39	724	11.3	32	0.5
40 - 44	503	7.7	19	0.3
45 - 49	388	5.9	20	0.3
50 - 54	238	3.6	26	0.4
55 - 59	190	3.2	22	0.4
60 - 64	104	2.2	17	0.4
65 - 69	61	1.6	7	0.2
70 - 74	27	1.1	2	0.1
75 - 79	9	0.5	1	0.1
80 - 84	17	1.3	8	0.6
85 +	9	0.8	7	0.6
Total/Crude	5,621	5.7	317	0.3
ASIAN/PACIFIC ISLANDER				
00 - 04	1	0.1	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.1	0	0.0
15 - 19	17	2.0	0	0.0
20 - 24	53	5.3	5	0.5
25 - 29	70	6.4	2	0.2
30 - 34	66	6.3	2	0.2
35 - 39	34	3.4	5	0.5
40 - 44	35	3.4	0	0.0
45 - 49	16	1.7	2	0.2
50 - 54	10	1.1	1	0.1
55 - 59	5	0.6	0	0.0
60 - 64	2	0.3	1	0.1
65 - 69	2	0.4	0	0.0
70 - 74	0	0.0	0	0.0
75 - 79	0	0.0	0	0.0
80 - 84	1	0.5	0	0.0
85 +	2	1.2	0	0.0
Total/Crude	315	2.2	18	0.1

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2011-2015, Testicular Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2011-2015	Annual Rate	Deaths 2011-2015	Annual Rate
	Male	Male	Male	Male
NON-HISPANIC BLACK				
00 - 04	0	0.0	0	0.0
05 - 09	1	0.3	0	0.0
10 - 14	1	0.2	0	0.0
15 - 19	1	0.2	0	0.0
20 - 24	15	2.8	6	1.1
25 - 29	17	3.6	0	0.0
30 - 34	13	3.1	1	0.2
35 - 39	10	2.7	1	0.3
40 - 44	11	2.8	1	0.3
45 - 49	7	1.7	1	0.2
50 - 54	5	1.1	1	0.2
55 - 59	6	1.6	0	0.0
60 - 64	1	0.4	1	0.4
65 - 69	1	0.5	0	0.0
70 - 74	0	0.0	0	0.0
75 - 79	0	0.0	0	0.0
80 - 84	0	0.0	1	1.7
85 +	0	0.0	0	0.0
Total/Crude	89	1.4	13	0.2
HISPANIC				
00 - 04	19	0.6	0	0.0
05 - 09	2	0.1	0	0.0
10 - 14	9	0.3	0	0.0
15 - 19	218	6.5	4	0.1
20 - 24	503	14.7	28	0.8
25 - 29	521	16.6	45	1.4
30 - 34	395	13.3	25	0.8
35 - 39	264	9.6	16	0.6
40 - 44	140	5.4	6	0.2
45 - 49	104	4.4	2	0.1
50 - 54	39	2.0	6	0.3
55 - 59	22	1.5	5	0.3
60 - 64	17	1.6	1	0.1
65 - 69	7	1.0	1	0.1
70 - 74	10	2.1	0	0.0
75 - 79	5	1.5	0	0.0
80 - 84	1	0.4	1	0.5
85 +	1	0.5	2	1.1
Total/Crude	2,277	5.5	142	0.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2011-2015, Testicular Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2011-2015	Annual Rate	Deaths 2011-2015	Annual Rate
	Male	Male	Male	Male
NON-HISPANIC WHITE				
00 - 04	3	0.2	0	0.0
05 - 09	1	0.1	0	0.0
10 - 14	3	0.2	0	0.0
15 - 19	75	3.6	1	0.1
20 - 24	284	11.3	8	0.3
25 - 29	501	18.8	18	0.7
30 - 34	469	18.5	9	0.4
35 - 39	387	17.0	9	0.4
40 - 44	299	12.0	12	0.5
45 - 49	245	8.8	15	0.5
50 - 54	175	5.5	17	0.5
55 - 59	148	4.8	17	0.6
60 - 64	83	3.0	14	0.5
65 - 69	46	2.1	6	0.3
70 - 74	17	1.1	2	0.1
75 - 79	4	0.4	1	0.1
80 - 84	15	1.8	6	0.7
85 +	6	0.8	5	0.6
Total/Crude	2,761	7.4	140	0.4

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified. Excludes cases reported by the Department of Veterans Affairs. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity and Sex, Testicular Cancer

Current Age	Males			
	10+ yrs	20+ yrs	30+ yrs	eventually
ALL RACES				
0	0.00	0.03	0.16	0.40
25	0.14	0.23	0.28	0.32
35	0.09	0.14	0.17	0.18
45	0.05	0.07	0.08	0.09
55	0.03	0.04	0.04	0.04
65	0.01	0.02	-	0.02
Lifetime Risk of Being Diagnosed = 0.40%				
Lifetime Risk of Dying of Cancer = 0.03%				
ASIAN/PACIFIC ISLANDER				
0	0.00	0.01	0.07	0.16
25	0.06	0.09	0.11	0.12
35	0.03	0.05	0.05	0.06
45	0.01	0.02	0.02	0.03
55	0.00	0.01	0.01	0.02
65	0.00	0.00	-	0.01
Lifetime Risk of Being Diagnosed = 0.16%				
Lifetime Risk of Dying of Cancer = 0.01%				
NON-HISPANIC BLACK				
0	0.00	0.00	0.03	0.10
25	0.03	0.06	0.07	0.08
35	0.03	0.04	0.05	0.05
45	0.01	0.02	0.02	0.02
55	0.01	0.01	0.01	0.01
65	0.00	0.00	-	0.00
Lifetime Risk of Being Diagnosed = 0.10%				
Lifetime Risk of Dying of Cancer = 0.02%				
HISPANIC				
0	0.00	0.04	0.19	0.39
25	0.14	0.22	0.25	0.28
35	0.08	0.11	0.12	0.14
45	0.03	0.05	0.06	0.06
55	0.01	0.03	0.03	0.03
65	0.01	0.02	-	0.02
Lifetime Risk of Being Diagnosed = 0.39%				
Lifetime Risk of Dying of Cancer = 0.03%				
NON-HISPANIC WHITE				
0	0.00	0.02	0.16	0.51
25	0.18	0.32	0.39	0.44
35	0.14	0.21	0.25	0.27
45	0.07	0.11	0.12	0.13
55	0.04	0.05	0.06	0.06
65	0.01	0.02	-	0.02
Lifetime Risk of Being Diagnosed = 0.51%				
Lifetime Risk of Dying of Cancer = 0.03%				

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (January 2018) and CDPH Center for Health Statistics Death Master Files.
 Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2011-2015.
 Excludes cases reported by the Department of Veterans Affairs.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.