

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2017, Cervix Uteri Cancer

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
ALL RACES				
1988	1,578	11.8	441	3.4
1989	1,609	11.6	434	3.3
1990	1,758	12.4	468	3.5
1991	1,647	11.6	463	3.3
1992	1,777	12.2	486	3.4
1993	1,689	11.4	443	3.1
1994	1,712	11.4	469	3.2
1995	1,636	10.8	425	2.9
1996	1,721	11.3	463	3.1
1997	1,643	10.5	480	3.1
1998	1,698	10.6	452	2.9
1999	1,682	10.3	459	2.8
2000	1,663	10.0	472	2.9
2001	1,525	9.0	465	2.8
2002	1,555	9.0	415	2.4
2003	1,443	8.2	397	2.3
2004	1,442	8.2	417	2.3
2005	1,529	8.6	408	2.3
2006	1,467	8.2	458	2.5
2007	1,513	8.3	440	2.4
2008	1,551	8.4	424	2.2
2009	1,443	7.7	439	2.3
2010	1,447	7.6	474	2.4
2011	1,394	7.2	428	2.2
2012	1,497	7.7	422	2.1
2013	1,416	7.1	492	2.4
2014	1,423	7.1	472	2.3
2015	1,447	7.2	498	2.3
2016	1,517	7.5	475	2.2
2017	1,503	7.3	490	2.3

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2017, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
ASIAN/PACIFIC ISLANDER				
1988	151	14.0	44	4.6
1989	165	16.1	33	3.4
1990	165	14.4	44	4.1
1991	156	12.5	44	3.7
1992	191	14.6	49	4.2
1993	199	14.5	56	4.3
1994	234	15.6	55	4.1
1995	203	13.0	46	3.3
1996	225	13.6	53	3.3
1997	201	11.5	49	3.0
1998	194	10.5	58	3.5
1999	182	9.6	54	3.0
2000	167	8.5	53	2.8
2001	201	9.5	51	2.6
2002	186	8.4	49	2.4
2003	195	8.2	57	2.7
2004	201	8.4	64	2.8
2005	214	8.7	48	2.0
2006	197	7.6	61	2.4
2007	221	8.0	58	2.2
2008	201	7.2	51	1.8
2009	199	6.9	48	1.7
2010	205	6.9	66	2.2
2011	195	6.3	65	2.1
2012	221	7.0	60	1.9
2013	218	6.5	73	2.2
2014	218	6.3	67	2.0
2015	238	6.8	84	2.3
2016	237	6.6	80	2.1
2017	251	6.7	76	2.0

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified.
 Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.
 Rates based on fewer than 15 cases or deaths are not shown.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2017, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC BLACK				
1988	152	17.8	47	6.4
1989	128	15.1	67	8.6
1990	131	14.8	39	4.7
1991	122	14.2	56	6.6
1992	138	15.2	45	5.3
1993	133	14.2	52	5.9
1994	112	11.9	46	5.0
1995	133	14.2	46	5.1
1996	124	13.1	48	5.1
1997	118	12.1	55	5.7
1998	131	12.5	41	4.3
1999	118	11.3	49	4.9
2000	106	9.8	49	4.9
2001	105	9.9	51	5.0
2002	94	8.5	38	3.6
2003	95	8.5	36	3.4
2004	86	7.6	38	3.5
2005	95	8.4	33	2.9
2006	84	7.2	33	2.9
2007	83	7.0	27	2.4
2008	93	8.2	55	4.8
2009	100	8.5	44	3.8
2010	101	8.4	41	3.4
2011	90	7.5	33	2.6
2012	109	9.0	40	3.3
2013	94	7.6	43	3.2
2014	80	6.5	37	2.9
2015	105	8.1	43	3.2
2016	100	8.2	33	2.5
2017	78	6.4	57	4.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2017, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
HISPANIC				
1988	428	19.1	99	5.2
1989	468	19.8	82	3.9
1990	526	21.0	118	5.8
1991	537	20.8	108	4.7
1992	572	22.0	129	5.8
1993	548	20.0	108	4.7
1994	587	20.2	130	5.1
1995	524	17.8	118	4.5
1996	567	18.7	103	3.9
1997	545	16.4	130	4.5
1998	572	16.5	112	4.0
1999	626	17.8	127	4.1
2000	668	17.8	147	4.7
2001	552	14.2	155	4.5
2002	603	14.9	141	3.9
2003	563	13.2	116	3.0
2004	538	12.2	152	4.0
2005	593	13.2	144	3.5
2006	566	11.9	162	3.8
2007	584	11.5	155	3.5
2008	579	11.1	142	3.1
2009	550	10.3	166	3.5
2010	543	9.9	160	3.3
2011	506	8.9	145	2.8
2012	550	9.3	131	2.4
2013	508	8.4	153	2.7
2014	527	8.6	168	3.0
2015	531	8.4	165	2.8
2016	608	9.4	177	2.9
2017	576	8.6	169	2.7

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.
 Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.
 Note: In situ cancers are excluded, unless specified.
 Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.
 Rates based on fewer than 15 cases or deaths are not shown.
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year and Race/Ethnicity, California, 1988-2017, Cervix Uteri Cancer (continued)

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC WHITE				
1988	824	9.2	249	2.7
1989	816	8.8	251	2.7
1990	904	9.7	263	2.8
1991	807	8.8	254	2.7
1992	852	9.1	262	2.7
1993	776	8.3	223	2.3
1994	759	8.3	235	2.4
1995	747	8.2	214	2.2
1996	776	8.6	257	2.7
1997	751	8.2	246	2.6
1998	764	8.4	237	2.4
1999	729	7.9	228	2.3
2000	703	7.6	221	2.2
2001	644	7.0	206	2.0
2002	655	7.3	184	1.8
2003	575	6.2	186	1.9
2004	600	6.8	160	1.6
2005	606	6.8	179	1.8
2006	604	7.0	199	2.0
2007	589	6.8	195	1.9
2008	656	7.7	173	1.7
2009	581	6.8	174	1.7
2010	570	6.6	201	2.0
2011	577	6.7	180	1.7
2012	589	6.9	190	1.8
2013	570	6.7	217	2.1
2014	563	6.6	196	1.9
2015	537	6.4	201	2.0
2016	550	6.3	180	1.8
2017	553	6.6	183	1.8

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2013-2017, Cervix Uteri Cancer

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2013-2017	Annual Rate	Deaths 2013-2017	Annual Rate
	Female	Female	Female	Female
ALL RACES				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.0	0	0.0
15 - 19	4	0.1	2	0.0
20 - 24	55	0.8	4	0.1
25 - 29	324	4.5	47	0.7
30 - 34	663	9.6	96	1.4
35 - 39	813	12.6	149	2.3
40 - 44	886	13.8	192	3.0
45 - 49	836	12.9	219	3.4
50 - 54	807	12.3	307	4.7
55 - 59	759	12.0	257	4.1
60 - 64	675	12.2	302	5.5
65 - 69	500	11.0	235	5.2
70 - 74	338	10.2	182	5.5
75 - 79	270	11.2	148	6.1
80 - 84	182	10.0	123	6.8
85 +	193	8.6	164	7.3
Total/Crude	7,306	7.4	2,427	2.5
ASIAN/PACIFIC ISLANDER				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	0	0.0	1	0.1
20 - 24	2	0.2	0	0.0
25 - 29	43	3.6	3	0.3
30 - 34	84	6.8	11	0.9
35 - 39	93	7.8	22	1.9
40 - 44	126	10.3	37	3.0
45 - 49	139	12.2	37	3.3
50 - 54	134	12.2	45	4.1
55 - 59	131	12.5	36	3.4
60 - 64	125	13.4	50	5.4
65 - 69	82	10.9	32	4.2
70 - 74	64	12.3	27	5.2
75 - 79	59	14.9	25	6.3
80 - 84	38	13.0	20	6.8
85 +	42	13.0	34	10.6
Total/Crude	1,162	7.5	380	2.5

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2013-2017, Cervix Uteri Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2013-2017	Annual Rate	Deaths 2013-2017	Annual Rate
	Female	Female	Female	Female
NON-HISPANIC BLACK				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	1	0.3	0	0.0
15 - 19	1	0.2	1	0.2
20 - 24	6	1.2	2	0.4
25 - 29	20	4.2	2	0.4
30 - 34	30	7.3	8	1.9
35 - 39	45	11.8	15	3.9
40 - 44	47	12.6	17	4.6
45 - 49	48	11.8	15	3.7
50 - 54	49	11.1	28	6.4
55 - 59	56	13.4	34	8.1
60 - 64	48	14.1	31	9.1
65 - 69	36	13.6	23	8.7
70 - 74	26	13.8	16	8.5
75 - 79	21	14.9	7	5.0
80 - 84	11	11.4	7	7.2
85 +	12	11.4	7	6.7
Total/Crude	457	7.5	213	3.5
HISPANIC				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	2	0.1	0	0.0
20 - 24	23	0.7	1	0.0
25 - 29	131	4.4	23	0.8
30 - 34	277	9.8	47	1.7
35 - 39	372	13.8	78	2.9
40 - 44	377	14.6	70	2.7
45 - 49	357	15.1	88	3.7
50 - 54	308	14.9	108	5.2
55 - 59	240	13.9	77	4.5
60 - 64	214	16.2	88	6.7
65 - 69	157	16.4	72	7.5
70 - 74	104	15.4	64	9.5
75 - 79	73	15.1	36	7.4
80 - 84	55	15.9	35	10.1
85 +	60	16.5	45	12.4
Total/Crude	2,750	7.3	832	2.2

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Females by Age and Race/Ethnicity, California, 2013-2017, Cervix Uteri Cancer (continued)

Age at Diagnosis or Death	Incidence		Mortality	
	<u>New Cases 2013-2017</u>	<u>Annual Rate</u>	<u>Deaths 2013-2017</u>	<u>Annual Rate</u>
	Female	Female	Female	Female
NON-HISPANIC WHITE				
00 - 04	0	0.0	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	1	0.1	0	0.0
20 - 24	22	1.0	1	0.1
25 - 29	121	4.8	19	0.8
30 - 34	251	10.4	29	1.2
35 - 39	280	12.8	34	1.6
40 - 44	306	13.9	66	3.0
45 - 49	273	10.8	75	3.0
50 - 54	306	10.4	123	4.2
55 - 59	317	10.2	107	3.5
60 - 64	277	9.6	129	4.5
65 - 69	215	8.4	105	4.1
70 - 74	139	7.2	74	3.9
75 - 79	114	8.2	78	5.6
80 - 84	76	7.1	61	5.7
85 +	75	5.2	76	5.3
Total/Crude	2,773	7.2	977	2.5

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2017, Invasive Cervix Uteri Cancer

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
ALL RACES										
1994	904	5.9	233	1.6	264	1.8	143	1.0	168	1.1
1995	895	5.8	235	1.6	243	1.6	135	0.9	128	0.8
1996	907	5.9	275	1.8	231	1.5	160	1.1	148	1.0
1997	854	5.4	243	1.6	253	1.6	154	1.0	139	0.9
1998	909	5.6	247	1.6	263	1.7	160	1.0	119	0.7
1999	868	5.3	261	1.6	281	1.7	159	1.0	113	0.7
2000	890	5.3	238	1.4	249	1.5	173	1.1	113	0.7
2001	816	4.8	208	1.2	261	1.5	170	1.0	70	0.4
2002	754	4.4	222	1.3	298	1.7	201	1.2	80	0.5
2003	719	4.1	198	1.1	256	1.5	174	1.0	96	0.5
2004	701	4.0	190	1.1	248	1.4	148	0.8	155	0.9
2005	665	3.8	190	1.1	317	1.8	178	1.0	179	1.0
2006	731	4.1	175	1.0	250	1.4	167	0.9	144	0.8
2007	722	4.0	183	1.0	265	1.5	198	1.1	145	0.8
2008	740	4.1	175	0.9	292	1.6	202	1.1	142	0.7
2009	657	3.6	173	0.9	274	1.5	203	1.0	136	0.7
2010	680	3.7	168	0.9	294	1.5	204	1.0	101	0.5
2011	637	3.4	170	0.9	286	1.5	207	1.0	94	0.5
2012	645	3.4	171	0.9	340	1.7	234	1.2	107	0.5
2013	627	3.3	152	0.7	300	1.5	233	1.1	104	0.5
2014	594	3.1	162	0.8	326	1.6	233	1.1	108	0.5
2015	609	3.1	182	0.9	309	1.5	228	1.1	119	0.6
2016	653	3.4	172	0.8	320	1.6	235	1.1	137	0.6
2017	585	3.0	177	0.8	310	1.5	264	1.2	167	0.8

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2017, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
ASIAN/PACIFIC ISLANDER										
1994	111	7.1	44	3.0	38	2.8	18	1.2	23	1.5
1995	108	6.7	35	2.5	30	1.9	11	-	19	1.3
1996	117	6.8	41	2.6	35	2.1	19	1.3	13	-
1997	112	6.2	31	1.8	28	1.8	16	0.9	14	-
1998	113	5.9	28	1.5	21	1.2	19	1.1	13	-
1999	93	4.6	32	1.7	38	2.1	14	-	5	-
2000	83	4.2	29	1.5	34	1.8	15	0.7	6	-
2001	103	4.7	29	1.5	36	1.7	24	1.2	9	-
2002	84	3.7	33	1.6	35	1.6	24	1.1	10	-
2003	99	4.1	37	1.6	29	1.2	17	0.7	13	-
2004	93	3.8	40	1.7	34	1.4	20	0.9	14	-
2005	93	3.8	32	1.3	50	2.0	16	0.6	23	0.9
2006	98	3.8	31	1.2	29	1.1	23	0.9	16	0.6
2007	97	3.5	34	1.2	39	1.4	34	1.2	17	0.6
2008	85	3.0	30	1.1	40	1.5	26	0.9	20	0.7
2009	74	2.5	37	1.3	40	1.4	32	1.1	16	0.6
2010	83	2.9	37	1.2	47	1.6	23	0.8	15	0.5
2011	81	2.6	21	0.7	45	1.5	33	1.1	15	0.5
2012	99	3.1	29	0.9	43	1.3	27	0.8	23	0.7
2013	77	2.3	40	1.1	49	1.4	42	1.3	10	-
2014	84	2.5	24	0.7	65	1.8	32	0.9	13	-
2015	95	2.8	41	1.1	50	1.5	31	0.8	21	0.5
2016	100	2.9	24	0.6	52	1.4	41	1.1	20	0.6
2017	109	3.0	30	0.7	47	1.3	51	1.3	14	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2017, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
NON-HISPANIC BLACK										
1994	45	4.5	17	1.9	20	2.0	14	-	16	1.8
1995	53	5.5	17	1.9	24	2.5	24	2.7	15	1.6
1996	51	5.0	23	2.4	22	2.4	13	-	15	1.9
1997	57	5.7	18	1.9	17	1.8	11	-	15	1.5
1998	60	5.5	23	2.1	23	2.3	14	-	11	-
1999	48	4.4	29	2.9	20	1.9	13	-	8	-
2000	54	4.9	13	-	17	1.5	12	-	10	-
2001	48	4.3	11	-	24	2.3	14	-	8	-
2002	43	3.8	15	1.4	19	1.7	15	1.5	2	-
2003	41	3.6	8	-	22	2.0	10	-	14	-
2004	48	4.2	6	-	16	1.4	12	-	4	-
2005	36	3.2	12	-	20	1.7	15	1.3	12	-
2006	38	3.3	6	-	15	1.3	16	1.3	9	-
2007	31	2.6	9	-	18	1.5	15	1.3	10	-
2008	27	2.3	15	1.3	19	1.6	13	-	19	1.7
2009	42	3.5	5	-	21	1.8	18	1.5	14	-
2010	34	2.9	11	-	26	2.2	23	1.9	7	-
2011	41	3.5	9	-	15	1.2	17	1.3	8	-
2012	43	3.6	8	-	31	2.5	19	1.5	8	-
2013	35	2.8	7	-	27	2.2	16	1.3	9	-
2014	34	2.7	9	-	15	1.2	15	1.2	7	-
2015	32	2.4	14	-	19	1.5	27	2.0	13	-
2016	30	2.6	8	-	25	2.1	27	2.1	10	-
2017	23	2.1	6	-	18	1.4	21	1.7	10	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2017, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
HISPANIC										
1994	304	9.7	84	2.9	88	3.3	53	2.0	58	2.2
1995	302	9.5	85	3.2	72	2.5	37	1.5	28	1.0
1996	306	9.2	102	3.9	70	2.5	50	1.7	39	1.4
1997	284	8.0	82	2.8	86	2.7	44	1.5	49	1.5
1998	296	7.8	99	3.2	92	2.8	44	1.5	41	1.2
1999	324	8.4	98	3.0	107	3.2	55	1.8	42	1.4
2000	353	8.8	122	3.5	92	2.5	58	1.8	43	1.2
2001	297	7.2	91	2.5	92	2.4	52	1.6	20	0.6
2002	280	6.4	95	2.5	132	3.5	67	1.7	29	0.8
2003	275	6.1	98	2.4	91	2.3	70	1.7	29	0.7
2004	257	5.4	84	2.1	79	1.9	41	1.0	77	1.9
2005	261	5.3	79	2.0	120	2.7	57	1.4	76	1.9
2006	260	5.1	86	1.9	109	2.3	48	1.2	63	1.5
2007	286	5.3	65	1.4	111	2.2	62	1.2	60	1.4
2008	279	5.0	73	1.6	111	2.1	68	1.4	48	1.0
2009	257	4.5	72	1.5	108	2.0	62	1.3	51	1.0
2010	284	5.0	64	1.2	95	1.7	66	1.3	34	0.7
2011	226	3.7	55	1.0	121	2.1	71	1.4	33	0.6
2012	222	3.5	77	1.5	138	2.4	81	1.5	32	0.5
2013	232	3.7	52	0.9	112	1.8	76	1.4	36	0.6
2014	218	3.4	68	1.2	129	2.0	81	1.5	31	0.5
2015	224	3.4	70	1.2	114	1.8	84	1.4	39	0.6
2016	264	3.9	74	1.2	127	1.9	83	1.3	60	1.0
2017	227	3.3	70	1.1	129	1.9	92	1.4	58	0.9

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Females by Year, Stage at Diagnosis, and Race/Ethnicity, California, 1994-2017, Invasive Cervix Uteri Cancer (continued)

Year of Diagnosis	Stage at Diagnosis									
	Stage I		Stage II		Stage III		Stage IV		Unknown Stage	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
NON-HISPANIC WHITE										
1994	430	4.7	88	0.9	118	1.3	58	0.6	65	0.7
1995	413	4.7	97	1.0	115	1.2	63	0.7	59	0.6
1996	416	4.7	108	1.2	102	1.1	78	0.9	72	0.7
1997	385	4.3	111	1.2	122	1.3	83	0.9	50	0.5
1998	421	4.7	95	1.0	125	1.4	79	0.8	44	0.5
1999	396	4.5	99	1.0	112	1.2	76	0.8	46	0.5
2000	390	4.4	73	0.8	104	1.1	88	0.9	48	0.5
2001	356	4.1	75	0.8	106	1.1	77	0.8	30	0.3
2002	336	3.9	78	0.8	111	1.2	93	1.0	37	0.4
2003	297	3.4	54	0.6	112	1.2	75	0.7	37	0.3
2004	294	3.5	60	0.6	118	1.3	74	0.8	54	0.6
2005	263	3.2	67	0.7	124	1.4	89	0.9	63	0.6
2006	328	4.0	51	0.5	94	1.0	79	0.9	52	0.5
2007	283	3.5	73	0.8	95	1.1	83	0.9	55	0.6
2008	337	4.3	57	0.6	118	1.3	93	1.0	51	0.5
2009	277	3.5	59	0.6	104	1.2	88	0.9	53	0.5
2010	263	3.3	53	0.6	123	1.4	89	0.9	42	0.4
2011	272	3.4	82	0.9	103	1.2	85	0.9	35	0.3
2012	268	3.5	53	0.5	123	1.4	104	1.1	41	0.5
2013	271	3.6	52	0.6	111	1.2	94	1.0	42	0.5
2014	244	3.1	60	0.7	112	1.3	102	1.1	45	0.5
2015	240	3.2	53	0.6	122	1.4	86	0.9	36	0.4
2016	248	3.2	66	0.6	113	1.3	84	0.8	39	0.4
2017	215	2.9	69	0.8	112	1.4	98	1.0	59	0.7

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: For cases diagnosed 1994-2003, American Joint Committee on Cancer (AJCC) stage at diagnosis is based on Surveillance, Epidemiology, and End Results (SEER) extent of disease (EOD) codes; conversion is consistent with the AJCC Manual for Staging of Cancer, Third Edition as modified by SEER. For cases diagnosed 2004 and forward, AJCC stage at diagnosis is based on Collaborative Stage codes converted to AJCC using an algorithm provided by the Collaborative Staging Taskforce. Rates based on fewer than 15 cases are not shown. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity, Cervix Uteri Cancer

Current Age	Females			
	10+ yrs	20+ yrs	30+ yrs	eventually
ALL RACES				
0	0.00	0.00	0.03	0.63
25	0.07	0.20	0.32	0.63
35	0.13	0.25	0.36	0.56
45	0.12	0.24	0.33	0.44
55	0.12	0.21	0.28	0.32
65	0.10	0.18	-	0.22
Lifetime Risk of Being Diagnosed = 0.63%				
Lifetime Risk of Dying of Cancer = 0.24%				
ASIAN/PACIFIC ISLANDER				
0	0.00	0.00	0.02	0.68
25	0.05	0.14	0.26	0.69
35	0.09	0.21	0.33	0.64
45	0.12	0.24	0.35	0.56
55	0.12	0.23	0.33	0.44
65	0.11	0.22	-	0.33
Lifetime Risk of Being Diagnosed = 0.68%				
Lifetime Risk of Dying of Cancer = 0.29%				
NON-HISPANIC BLACK				
0	0.00	0.00	0.03	0.61
25	0.06	0.17	0.28	0.61
35	0.12	0.22	0.34	0.56
45	0.11	0.23	0.34	0.45
55	0.13	0.24	0.32	0.36
65	0.12	0.21	-	0.26
Lifetime Risk of Being Diagnosed = 0.61%				
Lifetime Risk of Dying of Cancer = 0.30%				
HISPANIC				
0	0.00	0.00	0.03	0.82
25	0.07	0.21	0.35	0.82
35	0.14	0.28	0.42	0.76
45	0.15	0.29	0.42	0.63
55	0.14	0.28	0.40	0.49
65	0.15	0.26	-	0.36
Lifetime Risk of Being Diagnosed = 0.82%				
Lifetime Risk of Dying of Cancer = 0.34%				
NON-HISPANIC WHITE				
0	0.00	0.00	0.03	0.53
25	0.07	0.20	0.30	0.53
35	0.13	0.23	0.32	0.46
45	0.10	0.20	0.26	0.33
55	0.09	0.16	0.21	0.24
65	0.07	0.13	-	0.15
Lifetime Risk of Being Diagnosed = 0.53%				
Lifetime Risk of Dying of Cancer = 0.20%				

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2013-2017.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.