

**Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2017, Kaposi Sarcoma (All sites)**

Year of Diagnosis	Incidence					
	New Cases			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>ALL RACES</b>						
1988	1,547	1,519	28	5.3	10.4	0.2
1989	1,683	1,655	28	5.7	11.1	0.2
1990	1,729	1,700	29	5.7	11.1	0.2
1991	1,843	1,816	27	5.9	11.7	0.2
1992	1,706	1,680	26	5.4	10.6	0.2
1993	1,545	1,510	35	4.8	9.4	0.2
1994	1,539	1,504	35	4.8	9.3	0.2
1995	1,235	1,202	33	3.9	7.5	0.2
1996	884	845	39	2.7	5.3	0.2
1997	419	395	24	1.3	2.5	0.1
1998	372	346	26	1.1	2.2	0.2
1999	324	306	18	1.0	1.9	0.1
2000	300	279	21	0.9	1.7	0.1
2001	308	284	24	0.9	1.7	0.1
2002	270	248	22	0.8	1.5	0.1
2003	279	262	17	0.8	1.6	0.1
2004	296	276	20	0.9	1.6	0.1
2005	273	259	14	0.8	1.5	-
2006	229	205	24	0.7	1.2	0.1
2007	238	219	19	0.7	1.3	0.1
2008	222	209	13	0.6	1.2	-
2009	254	240	14	0.7	1.4	-
2010	234	213	21	0.6	1.2	0.1
2011	201	183	18	0.5	1.0	0.1
2012	222	204	18	0.6	1.1	0.1
2013	216	196	20	0.6	1.1	0.1
2014	225	203	22	0.6	1.1	0.1
2015	219	198	21	0.6	1.0	0.1
2016	204	192	12	0.5	1.0	-
2017	186	167	19	0.5	0.8	0.1

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2017, Kaposi Sarcoma (All sites) (continued)**

Year of Diagnosis	Incidence					
	New Cases			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>ASIAN/PACIFIC ISLANDER</b>						
1988	21	21	0	0.7	1.5	-
1989	18	17	1	0.7	1.5	-
1990	33	33	0	1.3	2.6	-
1991	33	33	0	1.2	2.4	-
1992	28	27	1	0.9	1.7	-
1993	29	28	1	0.8	1.7	-
1994	40	40	0	1.2	2.5	-
1995	30	29	1	0.8	1.7	-
1996	25	23	2	0.8	1.5	-
1997	12	12	0	-	-	-
1998	7	6	1	-	-	-
1999	11	10	1	-	-	-
2000	5	5	0	-	-	-
2001	12	10	2	-	-	-
2002	17	15	2	0.4	0.8	-
2003	7	6	1	-	-	-
2004	11	9	2	-	-	-
2005	9	9	0	-	-	-
2006	7	6	1	-	-	-
2007	12	12	0	-	-	-
2008	9	7	2	-	-	-
2009	11	10	1	-	-	-
2010	14	13	1	-	-	-
2011	9	9	0	-	-	-
2012	12	11	1	-	-	-
2013	10	10	0	-	-	-
2014	14	13	1	-	-	-
2015	16	15	1	0.3	0.6	-
2016	7	7	0	-	-	-
2017	17	14	3	0.3	-	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2017, Kaposi Sarcoma (All sites) (continued)**

Year of Diagnosis	Incidence					
	New Cases			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>NON-HISPANIC BLACK</b>						
1988	108	108	0	5.0	10.4	-
1989	120	118	2	5.9	11.8	-
1990	141	138	3	6.4	12.8	-
1991	148	146	2	6.6	13.5	-
1992	128	127	1	5.8	12.1	-
1993	130	128	2	5.6	11.4	-
1994	142	136	6	6.3	12.3	-
1995	144	140	4	6.4	12.9	-
1996	100	88	12	4.6	8.4	-
1997	52	47	5	2.3	4.2	-
1998	40	40	0	1.8	3.7	-
1999	53	52	1	2.3	4.7	-
2000	47	44	3	2.0	3.7	-
2001	39	36	3	1.7	3.3	-
2002	36	33	3	1.6	2.8	-
2003	34	32	2	1.5	3.0	-
2004	30	29	1	1.3	2.5	-
2005	44	38	6	2.0	3.6	-
2006	29	23	6	1.3	2.0	-
2007	28	27	1	1.2	2.4	-
2008	24	24	0	1.1	2.2	-
2009	34	32	2	1.5	2.9	-
2010	28	28	0	1.2	2.6	-
2011	25	22	3	1.1	1.9	-
2012	30	30	0	1.3	2.5	-
2013	21	19	2	0.9	1.6	-
2014	25	22	3	1.0	1.8	-
2015	23	21	2	0.9	1.6	-
2016	29	28	1	1.2	2.3	-
2017	25	23	2	1.0	1.8	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2017, Kaposi Sarcoma (All sites) (continued)**

Year of Diagnosis	Incidence					
	New Cases			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>HISPANIC</b>						
1988	226	217	9	3.8	6.8	-
1989	237	234	3	3.5	6.7	-
1990	314	307	7	4.6	8.7	-
1991	343	335	8	4.8	9.0	-
1992	336	328	8	4.6	8.6	-
1993	336	328	8	4.4	8.5	-
1994	323	316	7	4.2	8.0	-
1995	274	267	7	3.5	6.6	-
1996	259	248	11	3.2	6.0	-
1997	101	96	5	1.2	2.2	-
1998	107	98	9	1.3	2.1	-
1999	94	91	3	1.1	2.2	-
2000	72	69	3	0.9	2.0	-
2001	93	86	7	1.1	2.0	-
2002	92	86	6	1.0	1.8	-
2003	90	83	7	1.1	2.0	-
2004	90	84	6	1.1	2.0	-
2005	103	99	4	1.2	2.4	-
2006	72	68	4	0.7	1.2	-
2007	78	72	6	0.8	1.4	-
2008	66	63	3	0.6	1.2	-
2009	87	81	6	0.8	1.5	-
2010	83	74	9	0.9	1.5	-
2011	68	60	8	0.6	1.0	-
2012	73	64	9	0.7	1.1	-
2013	88	79	9	0.8	1.3	-
2014	86	78	8	0.7	1.3	-
2015	88	80	8	0.7	1.2	-
2016	72	69	3	0.6	1.2	-
2017	67	61	6	0.5	0.9	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Persons by Year, Race/Ethnicity, and Sex, California, 1988-2017, Kaposi Sarcoma (All sites) (continued)**

Year of Diagnosis	Incidence					
	New Cases			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>NON-HISPANIC WHITE</b>						
1988	1,164	1,146	18	6.5	12.7	0.2
1989	1,277	1,257	20	7.0	13.8	0.2
1990	1,203	1,186	17	6.5	12.8	0.2
1991	1,286	1,270	16	7.0	13.7	0.1
1992	1,182	1,167	15	6.4	12.5	0.1
1993	1,019	997	22	5.5	10.8	0.2
1994	999	977	22	5.5	10.7	0.2
1995	752	732	20	4.2	8.2	0.2
1996	469	456	13	2.6	5.1	-
1997	240	226	14	1.3	2.6	-
1998	207	192	15	1.2	2.2	0.1
1999	153	140	13	0.8	1.6	-
2000	161	147	14	0.9	1.7	-
2001	149	137	12	0.8	1.6	-
2002	113	103	10	0.6	1.2	-
2003	140	134	6	0.8	1.5	-
2004	150	139	11	0.9	1.6	-
2005	114	110	4	0.6	1.3	-
2006	114	103	11	0.6	1.2	-
2007	111	100	11	0.7	1.2	-
2008	113	105	8	0.7	1.3	-
2009	111	106	5	0.6	1.2	-
2010	100	90	10	0.6	1.0	-
2011	96	89	7	0.6	1.1	-
2012	91	83	8	0.5	1.0	-
2013	83	75	8	0.5	0.9	-
2014	80	75	5	0.4	0.8	-
2015	79	73	6	0.5	0.9	-
2016	79	72	7	0.4	0.8	-
2017	62	55	7	0.3	0.6	-

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Five-Year Incidence Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2013-2017, Kaposi Sarcoma (All sites)**

Age at Diagnosis or Death	Incidence					
	New Cases 2013-2017			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>ALL RACES</b>						
00 - 04	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0
10 - 14	1	1	0	0.0	0.0	0.0
15 - 19	1	1	0	0.0	0.0	0.0
20 - 24	23	23	0	0.2	0.3	0.0
25 - 29	81	81	0	0.5	1.0	0.0
30 - 34	100	97	3	0.7	1.3	0.0
35 - 39	88	84	4	0.7	1.3	0.1
40 - 44	103	102	1	0.8	1.6	0.0
45 - 49	138	136	2	1.1	2.1	0.0
50 - 54	107	102	5	0.8	1.6	0.1
55 - 59	84	78	6	0.7	1.3	0.1
60 - 64	60	59	1	0.6	1.2	0.0
65 - 69	56	49	7	0.7	1.2	0.2
70 - 74	52	41	11	0.8	1.5	0.3
75 - 79	58	40	18	1.3	2.1	0.7
80 - 84	46	34	12	1.5	2.6	0.7
85 +	52	28	24	1.5	2.2	1.1
Total/Crude	1,050	956	94	0.5	1.0	0.1
<b>ASIAN/PACIFIC ISLANDER</b>						
00 - 04	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0
20 - 24	2	2	0	0.1	0.2	0.0
25 - 29	1	1	0	0.0	0.1	0.0
30 - 34	5	4	1	0.2	0.4	0.1
35 - 39	5	5	0	0.2	0.5	0.0
40 - 44	13	13	0	0.6	1.2	0.0
45 - 49	14	14	0	0.7	1.4	0.0
50 - 54	4	3	1	0.2	0.3	0.1
55 - 59	1	1	0	0.1	0.1	0.0
60 - 64	2	2	0	0.1	0.3	0.0
65 - 69	2	2	0	0.1	0.3	0.0
70 - 74	5	4	1	0.5	1.0	0.2
75 - 79	3	2	1	0.4	0.7	0.3
80 - 84	3	2	1	0.6	1.0	0.3
85 +	4	4	0	0.8	2.1	0.0
Total/Crude	64	59	5	0.2	0.4	0.0

(Table Continues)

**Five-Year Incidence Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2013-2017, Kaposi Sarcoma (All sites) (continued)**

Age at Diagnosis or Death	Incidence					
	New Cases 2013-2017			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>NON-HISPANIC BLACK</b>						
00 - 04	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0
20 - 24	5	5	0	0.5	0.9	0.0
25 - 29	21	21	0	2.1	4.1	0.0
30 - 34	19	17	2	2.2	3.9	0.5
35 - 39	14	11	3	1.8	2.8	0.8
40 - 44	13	13	0	1.7	3.5	0.0
45 - 49	14	14	0	1.7	3.5	0.0
50 - 54	15	13	2	1.7	3.0	0.5
55 - 59	7	5	2	0.9	1.3	0.5
60 - 64	6	6	0	0.9	2.0	0.0
65 - 69	6	5	1	1.2	2.3	0.4
70 - 74	2	2	0	0.6	1.4	0.0
75 - 79	0	0	0	0.0	0.0	0.0
80 - 84	0	0	0	0.0	0.0	0.0
85 +	1	1	0	0.6	2.0	0.0
Total/Crude	123	113	10	1.0	1.9	0.2
<b>HISPANIC</b>						
00 - 04	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0
10 - 14	1	1	0	0.0	0.0	0.0
15 - 19	1	1	0	0.0	0.0	0.0
20 - 24	13	13	0	0.2	0.4	0.0
25 - 29	43	43	0	0.7	1.3	0.0
30 - 34	55	55	0	0.9	1.8	0.0
35 - 39	44	43	1	0.8	1.5	0.0
40 - 44	34	34	0	0.7	1.3	0.0
45 - 49	57	56	1	1.2	2.3	0.0
50 - 54	28	28	0	0.7	1.4	0.0
55 - 59	28	26	2	0.8	1.6	0.1
60 - 64	19	18	1	0.8	1.5	0.1
65 - 69	12	9	3	0.7	1.1	0.3
70 - 74	17	12	5	1.4	2.3	0.7
75 - 79	18	9	9	2.2	2.6	1.9
80 - 84	19	11	8	3.3	4.7	2.3
85 +	12	8	4	2.1	3.8	1.1
Total/Crude	401	367	34	0.5	1.0	0.1

(Table Continues)

**Five-Year Incidence Counts and Average Annual Age-Specific and Crude Rates per 100,000 Persons by Age, Race/Ethnicity, and Sex, California, 2013-2017, Kaposi Sarcoma (All sites) (continued)**

Age at Diagnosis or Death	Incidence					
	New Cases 2013-2017			Annual Rate		
	Total	Male	Female	Total	Male	Female
<b>NON-HISPANIC WHITE</b>						
00 - 04	0	0	0	0.0	0.0	0.0
05 - 09	0	0	0	0.0	0.0	0.0
10 - 14	0	0	0	0.0	0.0	0.0
15 - 19	0	0	0	0.0	0.0	0.0
20 - 24	1	1	0	0.0	0.0	0.0
25 - 29	13	13	0	0.2	0.5	0.0
30 - 34	16	16	0	0.3	0.6	0.0
35 - 39	22	22	0	0.5	0.9	0.0
40 - 44	35	34	1	0.8	1.5	0.0
45 - 49	40	39	1	0.8	1.5	0.0
50 - 54	51	50	1	0.9	1.7	0.0
55 - 59	44	43	1	0.7	1.4	0.0
60 - 64	31	31	0	0.5	1.1	0.0
65 - 69	27	26	1	0.5	1.1	0.0
70 - 74	20	16	4	0.6	0.9	0.2
75 - 79	31	25	6	1.2	2.1	0.4
80 - 84	21	19	2	1.1	2.3	0.2
85 +	31	15	16	1.4	1.8	1.1
Total/Crude	383	350	33	0.5	0.9	0.1

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019).

Note: Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.