

**Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2017, Testicular Cancer**

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
<b>ALL RACES</b>				
1988	732	4.5	52	0.4
1989	796	4.7	52	0.3
1990	826	4.9	52	0.4
1991	814	4.7	48	0.3
1992	834	4.8	43	0.3
1993	832	4.9	43	0.3
1994	762	4.4	69	0.4
1995	831	4.9	47	0.3
1996	842	4.9	44	0.3
1997	805	4.6	52	0.3
1998	925	5.3	45	0.3
1999	921	5.2	55	0.3
2000	924	5.2	49	0.3
2001	921	5.1	57	0.3
2002	887	4.9	55	0.3
2003	948	5.2	34	0.2
2004	950	5.2	55	0.3
2005	977	5.3	71	0.4
2006	985	5.3	67	0.4
2007	1,022	5.5	50	0.3
2008	1,048	5.6	55	0.3
2009	1,042	5.5	60	0.3
2010	1,088	5.7	59	0.3
2011	1,040	5.4	62	0.3
2012	1,070	5.5	69	0.4
2013	1,146	5.8	54	0.3
2014	1,216	6.2	74	0.4
2015	1,193	6.0	58	0.3
2016	1,233	6.2	73	0.4
2017	1,256	6.2	76	0.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.  
 Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.  
 Note: In situ cancers are excluded, unless specified.  
 Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.  
 Rates based on fewer than 15 cases or deaths are not shown.  
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2017, Testicular Cancer (continued)**

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
<b>ASIAN/PACIFIC ISLANDER</b>				
1988	20	1.4	1	-
1989	25	1.8	1	-
1990	22	1.5	4	-
1991	27	1.7	4	-
1992	29	1.7	1	-
1993	34	1.9	0	-
1994	35	2.0	2	-
1995	30	1.6	1	-
1996	26	1.4	3	-
1997	31	1.6	1	-
1998	46	2.4	1	-
1999	37	1.9	1	-
2000	38	1.9	2	-
2001	37	1.6	3	-
2002	29	1.2	1	-
2003	31	1.4	1	-
2004	34	1.4	2	-
2005	45	1.9	4	-
2006	41	1.7	4	-
2007	50	2.0	4	-
2008	40	1.5	4	-
2009	58	2.2	2	-
2010	53	2.1	4	-
2011	54	2.0	1	-
2012	58	2.1	4	-
2013	67	2.3	6	-
2014	72	2.5	6	-
2015	66	2.2	1	-
2016	69	2.2	6	-
2017	79	2.5	3	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2017, Testicular Cancer (continued)**

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
<b>NON-HISPANIC BLACK</b>				
1988	16	1.3	2	-
1989	13	-	1	-
1990	10	-	2	-
1991	13	-	1	-
1992	17	1.3	0	-
1993	14	-	0	-
1994	10	-	3	-
1995	15	1.2	1	-
1996	15	1.5	1	-
1997	17	1.4	3	-
1998	19	1.7	2	-
1999	17	1.7	1	-
2000	18	1.5	2	-
2001	24	2.1	3	-
2002	16	1.5	4	-
2003	14	-	1	-
2004	16	1.3	3	-
2005	15	1.3	3	-
2006	16	1.4	3	-
2007	20	1.7	0	-
2008	24	2.1	3	-
2009	21	1.9	1	-
2010	20	1.8	1	-
2011	16	1.3	0	-
2012	22	1.7	3	-
2013	22	1.7	2	-
2014	17	1.4	7	-
2015	15	1.2	1	-
2016	23	1.9	0	-
2017	22	1.7	4	-

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2017, Testicular Cancer (continued)**

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
<b>HISPANIC</b>				
1988	117	2.6	13	-
1989	148	3.0	17	0.4
1990	150	3.3	11	-
1991	178	3.4	8	-
1992	151	2.9	14	-
1993	196	3.9	8	-
1994	147	2.9	30	0.9
1995	187	3.4	15	0.4
1996	202	3.6	12	-
1997	197	3.3	17	0.3
1998	208	3.5	13	-
1999	216	3.4	16	0.3
2000	257	4.1	15	0.3
2001	246	3.7	19	0.4
2002	254	3.8	17	0.3
2003	278	3.9	14	-
2004	297	4.1	20	0.3
2005	312	4.2	34	0.5
2006	347	4.7	26	0.5
2007	356	4.6	27	0.4
2008	374	4.8	25	0.4
2009	401	4.9	24	0.3
2010	412	5.0	26	0.4
2011	410	5.1	30	0.4
2012	445	5.4	31	0.4
2013	430	5.2	24	0.3
2014	483	5.8	27	0.4
2015	536	6.2	30	0.4
2016	484	5.6	32	0.4
2017	554	6.3	36	0.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.  
 Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.  
 Note: In situ cancers are excluded, unless specified.  
 Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.  
 Rates based on fewer than 15 cases or deaths are not shown.  
 Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2017, Testicular Cancer (continued)**

Year of Diagnosis or Death	Incidence		Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate
	Male	Male	Male	Male
<b>NON-HISPANIC WHITE</b>				
1988	569	6.0	36	0.4
1989	601	6.2	32	0.4
1990	632	6.5	35	0.4
1991	585	6.1	35	0.4
1992	632	6.6	27	0.3
1993	579	6.3	35	0.4
1994	563	6.2	34	0.4
1995	585	6.7	30	0.3
1996	579	6.8	28	0.3
1997	547	6.4	31	0.4
1998	638	7.5	28	0.3
1999	635	7.6	36	0.4
2000	598	7.1	30	0.4
2001	602	7.2	31	0.4
2002	570	7.0	33	0.4
2003	604	7.4	18	0.2
2004	578	7.3	29	0.3
2005	589	7.5	30	0.4
2006	549	7.1	34	0.4
2007	570	7.4	19	0.2
2008	586	7.7	22	0.3
2009	533	7.1	33	0.4
2010	568	7.5	28	0.3
2011	531	7.2	31	0.4
2012	517	6.9	31	0.4
2013	598	8.1	22	0.3
2014	592	7.9	31	0.3
2015	533	7.1	25	0.3
2016	603	8.3	32	0.4
2017	553	7.5	33	0.4

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Rates based on fewer than 15 cases or deaths are not shown.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2013-2017, Testicular Cancer**

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2013-2017	Annual Rate	Deaths 2013-2017	Annual Rate
	Male	Male	Male	Male
<b>ALL RACES</b>				
00 - 04	28	0.4	0	0.0
05 - 09	5	0.1	0	0.0
10 - 14	16	0.2	0	0.0
15 - 19	320	4.8	2	0.0
20 - 24	957	12.9	45	0.6
25 - 29	1,239	16.0	69	0.9
30 - 34	1,061	14.7	47	0.7
35 - 39	816	12.4	31	0.5
40 - 44	499	7.8	19	0.3
45 - 49	394	6.1	18	0.3
50 - 54	251	3.9	31	0.5
55 - 59	216	3.6	21	0.4
60 - 64	97	1.9	17	0.3
65 - 69	69	1.7	13	0.3
70 - 74	37	1.3	3	0.1
75 - 79	16	0.8	5	0.3
80 - 84	16	1.2	8	0.6
85 +	7	0.5	6	0.5
Total/Crude	6,044	6.2	335	0.4
<b>ASIAN/PACIFIC ISLANDER</b>				
00 - 04	2	0.2	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	15	1.7	0	0.0
20 - 24	60	6.0	7	0.7
25 - 29	81	6.8	4	0.3
30 - 34	69	6.1	4	0.4
35 - 39	41	3.9	4	0.4
40 - 44	39	3.7	0	0.0
45 - 49	19	1.9	2	0.2
50 - 54	13	1.4	1	0.1
55 - 59	5	0.6	0	0.0
60 - 64	3	0.4	0	0.0
65 - 69	2	0.3	0	0.0
70 - 74	1	0.2	0	0.0
75 - 79	1	0.3	0	0.0
80 - 84	1	0.5	0	0.0
85 +	1	0.5	0	0.0
Total/Crude	353	2.5	22	0.2

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2013-2017, Testicular Cancer (continued)**

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2013-2017	Annual Rate	Deaths 2013-2017	Annual Rate
	Male	Male	Male	Male
<b>NON-HISPANIC BLACK</b>				
00 - 04	0	0.0	0	0.0
05 - 09	1	0.3	0	0.0
10 - 14	0	0.0	0	0.0
15 - 19	3	0.7	0	0.0
20 - 24	14	2.6	5	0.9
25 - 29	22	4.3	2	0.4
30 - 34	14	3.2	1	0.2
35 - 39	11	2.8	0	0.0
40 - 44	13	3.5	1	0.3
45 - 49	7	1.7	1	0.3
50 - 54	8	1.9	2	0.5
55 - 59	3	0.8	0	0.0
60 - 64	0	0.0	1	0.3
65 - 69	2	0.9	0	0.0
70 - 74	1	0.7	0	0.0
75 - 79	0	0.0	0	0.0
80 - 84	0	0.0	1	1.6
85 +	0	0.0	0	0.0
Total/Crude	99	1.7	14	0.2
<b>HISPANIC</b>				
00 - 04	16	0.5	0	0.0
05 - 09	3	0.1	0	0.0
10 - 14	11	0.3	0	0.0
15 - 19	215	6.5	2	0.1
20 - 24	565	16.4	28	0.8
25 - 29	589	18.0	45	1.4
30 - 34	437	14.4	23	0.8
35 - 39	291	10.4	19	0.7
40 - 44	149	5.7	6	0.2
45 - 49	100	4.1	4	0.2
50 - 54	40	1.9	9	0.4
55 - 59	31	1.9	4	0.2
60 - 64	17	1.4	1	0.1
65 - 69	6	0.7	3	0.4
70 - 74	7	1.3	0	0.0
75 - 79	6	1.7	0	0.0
80 - 84	2	0.9	1	0.4
85 +	2	0.9	4	1.9
Total/Crude	2,487	6.5	149	0.4

(Table Continues)

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.

**Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2013-2017, Testicular Cancer (continued)**

Age at Diagnosis or Death	Incidence		Mortality	
	New Cases 2013-2017	Annual Rate	Deaths 2013-2017	Annual Rate
	Male	Male	Male	Male
<b>NON-HISPANIC WHITE</b>				
00 - 04	9	0.5	0	0.0
05 - 09	1	0.1	0	0.0
10 - 14	5	0.3	0	0.0
15 - 19	80	4.0	0	0.0
20 - 24	282	11.8	5	0.2
25 - 29	515	19.0	17	0.6
30 - 34	498	19.1	17	0.7
35 - 39	431	18.4	7	0.3
40 - 44	272	11.7	12	0.5
45 - 49	252	9.6	11	0.4
50 - 54	182	6.1	17	0.6
55 - 59	170	5.5	17	0.6
60 - 64	76	2.7	15	0.5
65 - 69	53	2.2	10	0.4
70 - 74	27	1.6	3	0.2
75 - 79	9	0.8	5	0.4
80 - 84	13	1.6	6	0.7
85 +	4	0.5	1	0.1
Total/Crude	2,879	7.5	143	0.4

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: In situ cancers are excluded, unless specified.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded. Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.



**Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity and Sex, Testicular Cancer**

Current Age	Males			
	10+ yrs	20+ yrs	30+ yrs	eventually
<b>ALL RACES</b>				
0	0.00	0.03	0.17	0.42
25	0.15	0.25	0.29	0.34
35	0.10	0.15	0.17	0.19
45	0.05	0.07	0.09	0.09
55	0.03	0.04	0.04	0.04
65	0.01	0.02	-	0.02
Lifetime Risk of Being Diagnosed = 0.42%				
Lifetime Risk of Dying of Cancer = 0.03%				
<b>ASIAN/PACIFIC ISLANDER</b>				
0	0.00	0.01	0.07	0.16
25	0.06	0.10	0.12	0.13
35	0.04	0.05	0.06	0.06
45	0.02	0.02	0.02	0.03
55	0.00	0.01	0.01	0.01
65	0.00	0.00	-	0.01
Lifetime Risk of Being Diagnosed = 0.16%				
Lifetime Risk of Dying of Cancer = 0.01%				
<b>NON-HISPANIC BLACK</b>				
0	0.00	0.01	0.04	0.10
25	0.04	0.07	0.08	0.09
35	0.03	0.05	0.05	0.05
45	0.02	0.02	0.03	0.03
55	0.00	0.01	0.01	0.01
65	0.00	0.00	-	0.00
Lifetime Risk of Being Diagnosed = 0.10%				
Lifetime Risk of Dying of Cancer = 0.02%				
<b>HISPANIC</b>				
0	0.00	0.04	0.20	0.41
25	0.16	0.24	0.27	0.30
35	0.08	0.11	0.13	0.14
45	0.03	0.04	0.05	0.06
55	0.01	0.02	0.03	0.03
65	0.01	0.02	-	0.02
Lifetime Risk of Being Diagnosed = 0.41%				
Lifetime Risk of Dying of Cancer = 0.03%				
<b>NON-HISPANIC WHITE</b>				
0	0.00	0.03	0.17	0.54
25	0.18	0.33	0.40	0.46
35	0.15	0.22	0.26	0.28
45	0.08	0.11	0.13	0.14
55	0.04	0.05	0.06	0.06
65	0.02	0.02	-	0.03
Lifetime Risk of Being Diagnosed = 0.54%				
Lifetime Risk of Dying of Cancer = 0.03%				

Prepared by the California Department of Public Health (CDPH), California Cancer Registry.

Source: California Cancer Registry (December 2019) and CDPH Center for Health Statistics Death Master Files.

Note: Based on average annual age-specific cancer incidence and mortality rates in California, 2013-2017.

Due to inconsistent reporting by the Department of Veteran Affairs (VA), cancer cases reported by VA facilities are excluded.

Race/ethnicity categories are mutually exclusive. Persons of Hispanic ethnicity may be of any race.