

## Appendix C - Terms Indicating In-Situ Behavior

### General Reportable Terms Indicating In-Situ Behavior

<b>General Reportable Terms Indicating In-situ Behavior</b>
Behavior code /2
Bowen's disease (excluding skin)
Confined to epithelium (does not extend beyond base membrane)
Ductal carcinoma in-situ, (DCIS) (any site)
Dysplasia, squamous, high grade (excluding cervix)
Glandular intraepithelial neoplasia, high grade
Intracystic, Intraepidermal (NOS), Intrasquamous, In-situ
Intraductal papillary neoplasm with high grade intraepithelial neoplasia
Intraepithelial carcinoma, (NOS)
Intraepithelial neoplasia, high grade, grade II, grade III, not otherwise specified (NOS) (excluding Glandular intraepithelial neoplasia, grade II)
Involvement up to, but not including basement membrane
Lobular carcinoma in-situ (LCIS)
Mesothelioma in-situ
No stromal invasion
Non-infiltrating; Non-invasive
Squamous intraepithelial neoplasia, grade II (SIN II), grade III (SIN III) (excluding cervix and skin sites)
Papillary, non-infiltrating or intraductal
Pre-invasive

### Site-Specific Terms Indicating In-Situ Behavior

<b>Site</b>	<b>Terms Indicating In-situ Behavior</b>
<b>Anus</b>	Anal intraepithelial neoplasia, grade II (AIN II), grade III (AIN III) High grade squamous intraepithelial lesion (HGSIL or HSIL)
<b>Appendix</b>	Low-grade appendiceal mucinous neoplasm (LAMN) High grade appendiceal mucinous neoplasm (HAMN)
<b>Breast</b>	Ductal intraepithelial neoplasia, grade III (DIN III) Lobular intraepithelial neoplasia, grade II (LIN II), grade III (LIN III) Lobular neoplasia, grade II (LN II), grade III (LN III) Lobular, non-infiltrating
<b>Breast Colon Rectum</b>	Stage 0 (excluding Paget's disease) confined to lamina propria

<b>Colon Rectum</b>	High grade dysplasia
<b>Conjunctiva</b>	Intraepithelial neoplasia with severe dysplasia, or grade III; Squamous intraepithelial neoplasia, grade II
<b>Endometrium</b>	Endometrioid intraepithelial neoplasia (atypical hyperplasia, EIN) Intraepithelial neoplasm of endometrium Atypical hyperplasia of endometrium
<b>Esophagus</b>	Esophageal squamous intraepithelial neoplasia (dysplasia), high grade Esophageal glandular dysplasia (intraepithelial neoplasia), high grade Esophageal intraepithelial neoplasia (dysplasia), high grade, or grade III
<b>Esophagus Stomach Small Intestine</b>	High grade dysplasia
<b>Gallbladder</b>	Biliary intraepithelial neoplasia, high grade High grade biliary intraepithelial neoplasia, grade III (BiIN III)
<b>Larynx</b>	Laryngeal intraepithelial neoplasia, grade II (LIN II), grade III (LIN III) High grade squamous dysplasia
<b>Pancreas</b>	Pancreatic intraepithelial neoplasia, grade III (PanIN III) Non-invasive mucinous cystic neoplasm (MCN) of pancreas with high grade dysplasia
<b>Penis</b>	Penile intraepithelial neoplasia, grade II (PeIN II), grade III or high grade dysplasia (PeIN III) Differentiated penile intraepithelial neoplasia (PeIN) Queyrat's erythroplasia
<b>Skin</b>	Clark's level I (melanoma; limited to epithelium) Hutchinson's melanotic freckle (NOS) Lentigo maligna Precancerous melanosis
<b>Stomach Small Intestine</b>	Intestinal-type adenoma, high grade Adenomatous polyp, high grade dysplasia Serrated dysplasia, high grade Squamous dysplasia, high grade
<b>Vagina</b>	Vaginal intraepithelial neoplasia, grade II (VAIN II), grade III (VAIN III) High grade squamous intraepithelial lesion (HGSIL or HSIL)
<b>Vulva</b>	Vulvar intraepithelial neoplasia, grade II (VIN II), grade III (VIN III) High grade squamous intraepithelial lesion (HGSIL or HSIL) High grade vulvar intraepithelial neoplasia Differentiated vulvar intraepithelial neoplasia (VIN) or Differentiated exophytic vulvar intraepithelial lesion (DEVIL)